

National Survey of Sexual Attitudes and Lifestyles (Natsal-3)

Reference tables

**prepared by Soazig Clifton, Elizabeth Fuller and Dan Philo
NatCen Social Research
on behalf of the Natsal team**

Foreword

These tables present key variables from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3), carried out 2010-2012. The survey was carried out by a multi-disciplinary team of researchers from University College London, the London School of Hygiene and Tropical Medicine, NatCen Social Research, Public Health England (formerly the Health Protection Agency), and the University of Manchester. Natsal-3 was funded through grants from the Medical Research Council [G0701757]; and the Wellcome Trust [084840]; with contributions from the Economic and Social Research Council and Department of Health.

Main findings from the survey were published by the *Lancet* in November 2013. Details of these and subsequent publications can be found at <http://www.natsal.ac.uk/natsal-3/publications.aspx>.

Full information about the survey methodology is provided in a Technical Report, available at <http://www.natsal.ac.uk/natsal-3/methodology.aspx>, and in a paper in the journal *Sexually Transmitted Infections*.¹

An anonymised data set and codebook are available from the UK Data Archive: <http://www.data-archive.ac.uk>.

For further information about the Natsal survey series, see <http://www.natsal.ac.uk/>.

About the tables

Percentages may not add up to 100% because of rounding.

The following conventions have been used:

'<1' = less than 0.5%, but not zero

'<0.1' = less than 0.05%, but not zero

'-' = zero (i.e. no responses were recorded in this answer category).

Totals are shown for all aged 16-74 and for those aged 16-44, for comparison with Natsal-2.

Unweighted bases and weighted bases are shown. Weighted bases are rounded to the nearest integer and individual weighted bases may not add up to the total base because of rounding.

A few participants failed to answer each question. These 'no answers' have been excluded from the analysis, and so tables describing the same population may have slightly different bases.

Square brackets are used in tables to warn of small sample bases (between 30 and 49). Estimates based on 29 or fewer cases are not normally shown.

¹ Erens B, Phelps A, Clifton S, Mercer CH, Tanton C, Hussey D, Sonnenberg P, Macdowall W, Field N, Datta J, Mitchell K, Copas AJ, Wellings K, Johnson AM. Methodology of the third British National Survey of Sexual Attitudes and Lifestyles (Natsal-3). *Sexually Transmitted Infections*. 2014; **90**:84-89

Acknowledgements

We thank the study participants; the team of interviewers from NatCen Social Research, operations and computing staff from NatCen Social Research; the study funders; and Katie Heap (NIHR Research Methods Intern) and Jacob Taylor (University of Manchester Q-Step Intern).

List of tables

Table 1 Sample age distribution, by sex

Sex education

Table 2 Main source of sex education, by age and sex

Table 3 Ease with which sex was discussed with parents when aged 14, by age and sex

Table 4 Ease of talking to children about sexual matters when they were growing up, by age and sex

First heterosexual experience

Table 5 Had heterosexual intercourse before the age of 16, by age and sex

Table 6 Willingness of both partners on occasion of first heterosexual intercourse, by age and sex

Table 7 Contraception used on occasion of first heterosexual intercourse, by age and sex

Table 8 Current opinion of the timing of first heterosexual intercourse, by age and sex

Table 9 Sexual competence on occasion of first heterosexual intercourse, by age and sex

Sexual attraction and experience

Table 10 Sexual attraction, by age and sex

Table 11 Sexual experience, by age and sex

Table 12 Ever had heterosexual sex, by age and sex

Table 13 Last occasion of vaginal sex, by age and sex

Table 14 Last occasion of heterosexual oral sex to partner, by age and sex

Table 15 Last occasion of heterosexual oral sex from partner, by age and sex

Table 16 Last occasion of heterosexual anal sex, by age and sex

Table 17 Last occasion of heterosexual genital contact not involving intercourse, by age and sex

Table 18 Number of occasions of heterosexual sex in last four weeks, by age and sex

Table 19 Last occasion of masturbation, by age and sex

Table 20 Ever had sexual experience or contact with partner of the same sex, by age and sex

Table 21 Had sexual intercourse with partner of the same sex before the age of 16, by age and sex

Table 22 Last occasion of oral sex to same-sex partner, by age and sex

Table 23 Last occasion of oral sex from same-sex partner, by age and sex

Table 24 Last occasion of anal sex to same-sex partner (men), by age and sex

Table 25 Last occasion of anal sex from same-sex partner (men), by age and sex

Table 26 Last occasion of genital contact with same-sex partner not involving intercourse, by age and sex

Table 27 Number of opposite-sex partners in lifetime, by age and sex

Table 28 Number of opposite-sex partners in last five years, by age and sex

Table 29 Number of opposite-sex partners in last year, by age and sex

Table 30 Number of new opposite-sex partners in last year, by age and sex

Table 31 Number of same-sex partners in lifetime, by age and sex

Table 32 Number of same-sex partners in last five years, by age and sex

Table 33 Number of same-sex partners in last year, by age and sex

Table 34 Number of new same-sex partners in last year, by age and sex

Table 35 Number of opposite and same-sex partners in lifetime, by age and sex

Table 36 Number of opposite and same-sex partners in last five years, by age and sex

Table 37 Number of opposite and same-sex partners in last year, by age and sex

Table 38 Number of new opposite and same-sex partners in last year, by age and sex

Table 39 Number of occasions of sex with opposite and same-sex partners in last four weeks, by age and sex

Table 40 Used internet to find a sexual partner in the last year, by age and sex

Higher risk sex

Table 42 Had unsafe sex in last year, by age and sex

Table 43 Number of opposite and same-sex partners without a condom in last year, by age and sex

Table 44 New sexual partner while outside the UK in the last five years, by age and sex

Table 45 New sexual partner from outside the UK while within the UK in the last five years, by age and sex

Table 46 New sexual partner from outside the UK in the last five years, by age and sex

Table 47 Paid for sex ever, in the last five years, in the last year, by age and sex

Nonvolitional sex

Table 48 Experience of non-volitional sex, by age and sex

Parenthood and fertility

Table 49 Any natural children, by age and sex

Table 50 Had a child before the age of 18, by age and sex

Table 51 Number of pregnancies (women), by age

Table 52 Pregnancy outcomes (women), by age

Table 53 Whether most recent pregnancy was planned (women), by age

Table 54 Attitude to having children (women), by age

Table 55 Attitude to having children (men), by age

Table 56 Ever had a period of trying to get pregnant that lasted for 12 or more months, by age and sex

Table 57 Contraception method used in last 12 months, by age and sex

Sexually Transmitted Infections and sexual health service use

Table 58 Attended a sexual health (GUM) clinic, by age and sex

Table 59 Ever diagnosed with any sexually transmitted infection, by age and sex

Table 60 Ever diagnosed with a sexually transmitted infection, by age and sex

Table 61 Diagnosed with a sexually transmitted infection in the last five years, by age and sex

Table 62 Tested for HIV ever, in the last five years and in the last year, by age and sex

Table 63 Tested for chlamydia in the last year, by age and sex

Table 64 Most recent cervical smear (women), by age

Table 65 Circumcised (men), by age

Quality of sex life

Table 66 Has a health condition or disability that has affected sexual activity or enjoyment in the last year, by age and sex

Table 67 Has taken medication that has affected sexual activity or enjoyment in the last year, by age and sex

Table 68 Experienced sexual difficulties for three or more months in the last year, by age and sex

Table 69 Share with partner the same level of interest in having sex, by age and sex

Table 70 Share with partner the same sexual likes and dislikes, by age and sex

Table 71 Partner experienced sexual difficulties in the last year, by age and sex

| | |
|----------|---|
| Table 71 | Emotionally close to partner when having sex, by age and sex |
| Table 72 | Happy in relationship, by age and sex |
| Table 73 | Feels satisfied with sex life, by age and sex |
| Table 74 | Feel distressed or worried about sex life, by age and sex |
| Table 75 | Avoided sex because of own or partner's difficulties, by age and sex |
| Table 76 | Sought help or advice regarding sex life, by age and sex |
| Table 77 | Current preference for frequency of sex, by age and sex |
| Table 78 | Always finds it easy to talk to partner(s) about sex, by age and sex |
| Table 79 | Even taken medicine or pills to assist sexual performance, by age and sex |

Attitudes and beliefs

| | |
|----------|---|
| Table 80 | Attitude to non-exclusivity in marriage, by age and sex |
| Table 81 | Attitude to one night stands, by age and sex |
| Table 82 | Attitude to male same-sex partnerships, by age and sex |
| Table 83 | Attitude to female same-sex partnerships, by age and sex |
| Table 84 | Attitudes: it's OK to have sex with someone else without being in love with them, by age and sex |
| Table 85 | Attitudes: people are under a lot of pressure to have sex nowadays, by age and sex |
| Table 86 | Attitudes: it's natural for people to want sex less as they grow older, by age and sex |
| Table 87 | Attitudes: men have a naturally higher sex drive than women, by age and sex |
| Table 88 | Attitudes: there's too much sex in the media these days, by age and sex |
| Table 89 | Attitudes: young people today start having sex too early, by age and sex |
| Table 90 | Attitudes: gay men should be able to adopt children, by age and sex |
| Table 91 | Attitudes: lesbians should be able to adopt children, by age and sex |
| Table 92 | Attitudes: teaching young people about sexual matters encourages them to have sex, by age and sex |
| Table 93 | Perception of how many young people in the UK have sexual intercourse before their sixteenth birthday, by age and sex |
| Table 94 | Perception of HIV/AIDS risk to self, by age and sex |

Urine tests for STIs

| | |
|----------|--|
| Table 95 | Positive test for chlamydia, by age and sex |
| Table 96 | Positive test for gonorrhoea, by age and sex |
| Table 97 | Positive test for HPV, by age and sex |
| Table 98 | Positive test for HIV, by age and sex |

Table 1

Sample age distribution, by sex

| Age group | <i>2010-2012</i> | |
|-------------------------|------------------|------------|
| | Men % | Women % |
| 16-24 | 16 | 16 |
| 25-34 | 18 | 18 |
| 35-44 | 19 | 19 |
| 45-54 | 19 | 19 |
| 55-64 | 16 | 16 |
| 65-74 | 11 | 12 |
| <i>Unweighted bases</i> | 6293 | 8869 |
| <i>Weighted bases</i> | 7508 | 7654 |

Table 2

Main source of sex education, by age and sex

Aged 16-74

2010-2012

| Main source of sex education | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| Lessons at school | 39 | 27 | 26 | 22 | 15 | 11 | 31 | 24 |
| Friends of about own age | 24 | 31 | 35 | 39 | 46 | 54 | 30 | 37 |
| First girlfriend/boyfriend/sexual partner | 11 | 12 | 14 | 18 | 19 | 15 | 12 | 15 |
| Mother | 4 | 4 | 2 | 2 | 1 | 2 | 4 | 3 |
| Father | 3 | 3 | 2 | 2 | 2 | 1 | 2 | 2 |
| Brother/sister | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 |
| Media | 7 | 13 | 11 | 11 | 10 | 10 | 11 | 10 |
| Pornography | 3 | 4 | 5 | 3 | 1 | <1 | 4 | 3 |
| Internet (excl. pornography) | 4 | 2 | <1 | <1 | - | - | 2 | 1 |
| Doctor/nurse/clinic | 1 | 1 | 1 | <1 | <1 | - | 1 | 1 |
| Other | 1 | 1 | 1 | 1 | 2 | 5 | 1 | 2 |
| Women | | | | | | | | |
| Lessons at school | 41 | 29 | 31 | 31 | 22 | 17 | 34 | 29 |
| Friends of about own age | 24 | 30 | 30 | 32 | 38 | 44 | 28 | 33 |
| First girlfriend/boyfriend/sexual partner | 5 | 6 | 9 | 9 | 11 | 11 | 7 | 8 |
| Mother | 14 | 14 | 10 | 10 | 11 | 11 | 12 | 12 |
| Father | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Brother/sister | 2 | 3 | 4 | 4 | 6 | 3 | 3 | 4 |
| Media | 8 | 14 | 13 | 10 | 8 | 7 | 12 | 10 |
| Pornography | <1 | <1 | <1 | <1 | <1 | - | <1 | <1 |
| Internet (excl. pornography) | 2 | 1 | <1 | - | - | - | 1 | <1 |
| Doctor/nurse/clinic | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Other | 1 | 1 | 1 | 2 | 2 | 5 | 1 | 2 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1719 | 1515 | 791 | 781 | 758 | 660 | 4025 | 6224 |
| <i>Women</i> | 2133 | 2463 | 1192 | 1106 | 1021 | 861 | 5788 | 8776 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1232 | 1368 | 1398 | 1396 | 1176 | 852 | 3999 | 7422 |
| <i>Women</i> | 1203 | 1368 | 1429 | 1421 | 1224 | 923 | 3999 | 7566 |

Table 3

Ease with which sex was discussed with parents when aged 14, by age and sex

*Aged 16-74, lived with one or both
parents when growing up*

2010-2012

| Ease with which sex was discussed with parents | Age at interview | | | | | | Total aged 16- 44 % | Total aged 16- 74 % |
|---|------------------|------------|------------|------------|------------|------------|------------------------------|------------------------------|
| | 16-24 % | 25-34 % | 35-44 % | 45-54 % | 55-64 % | 65-74 % | | |
| Men | | | | | | | | |
| Easy with one/both | 26 | 19 | 13 | 8 | 4 | 3 | 19 | 13 |
| Difficult | 7 | 10 | 9 | 11 | 11 | 6 | 9 | 9 |
| Didn't discuss with either | 64 | 68 | 76 | 80 | 83 | 89 | 69 | 76 |
| Varied/depended on topic | 3 | 3 | 2 | 1 | 1 | 2 | 3 | 2 |
| Women | | | | | | | | |
| Easy with one/both | 32 | 27 | 19 | 15 | 13 | 9 | 26 | 20 |
| Difficult | 9 | 13 | 14 | 15 | 13 | 9 | 12 | 12 |
| Didn't discuss with either | 55 | 55 | 65 | 68 | 71 | 81 | 59 | 65 |
| Varied/depended on topic | 4 | 5 | 2 | 1 | 3 | 1 | 4 | 3 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1684 | 1486 | 788 | 770 | 749 | 638 | 3958 | 6115 |
| <i>Women</i> | 2082 | 2419 | 1175 | 1088 | 999 | 839 | 5676 | 8602 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1210 | 1340 | 1400 | 1378 | 1167 | 826 | 3950 | 7322 |
| <i>Women</i> | 1182 | 1346 | 1409 | 1398 | 1197 | 899 | 3936 | 7430 |

Table 4

Ease of talking to children about sexual matters when they were growing up, by age and sex

Aged 35-74, with children aged 16-25 at time of interview^a

2010-2012

| Ease of talking to children about sexual matters when growing up | Age at interview | | | | Total aged 35-74 |
|--|------------------|-------|-------|-------|------------------|
| | 35-44 | 45-54 | 55-64 | 65-74 | |
| | % | % | % | % | % |
| Men | | | | | |
| Easy | 33 | 40 | 26 | [32] | 34 |
| Difficult | 13 | 14 | 14 | [22] | 14 |
| Easy with some, difficult with others | 7 | 13 | 11 | [4] | 11 |
| Depends on topic | 22 | 22 | 32 | [18] | 24 |
| Didn't discuss | 25 | 12 | 16 | [24] | 16 |
| Women | | | | | |
| Easy | 65 | 60 | 61 | b | 61 |
| Difficult | 5 | 5 | 8 | b | 6 |
| Easy with some, difficult with others | 9 | 13 | 10 | b | 12 |
| Depends on topic | 17 | 19 | 19 | b | 18 |
| Didn't discuss | 3 | 3 | 2 | b | 3 |
| <i>Unweighted bases</i> | | | | | |
| <i>Men</i> | 131 | 354 | 204 | 39 | 728 |
| <i>Women</i> | 316 | 621 | 201 | 29 | 1167 |
| <i>Weighted bases</i> | | | | | |
| <i>Men</i> | 260 | 723 | 367 | 63 | 1414 |
| <i>Women</i> | 455 | 927 | 280 | 33 | 1695 |

a Base limited to adults who have had contact with their children when they were growing up.

b Estimates not shown due to small bases (<30 cases)

[] Small bases (between 30 and 50 cases)

Table 5

Had heterosexual intercourse before the age of 16, by age and sex^a

Aged 16-74

2010-2012

| Had heterosexual intercourse before the age of 16 | Age at interview | | | | | | | Total aged 16- 44 % | Total aged 16- 74 % |
|--|------------------|-------|-------|-------|-------|-------|------|------------------------------|------------------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | | |
| | % | % | % | % | % | % | | | |
| Men | 31 | 26 | 27 | 27 | 17 | 15 | 28 | 24 | |
| Women | 30 | 25 | 18 | 14 | 10 | 4 | 24 | 17 | |
| <i>Unweighted bases</i> | | | | | | | | | |
| Men | 1688 | 1504 | 792 | 777 | 758 | 653 | 3984 | 6172 | |
| Women | 2079 | 2462 | 1195 | 1105 | 1015 | 848 | 5736 | 8704 | |
| <i>Weighted bases</i> | | | | | | | | | |
| Men | 1213 | 1360 | 1396 | 1384 | 1175 | 842 | 3969 | 7370 | |
| Women | 1171 | 1366 | 1426 | 1416 | 1216 | 909 | 3964 | 7505 | |

^a Based on respondents who were aged 13 or over when they first had heterosexual intercourse.

Table 6

Willingness of both partners on occasion of first heterosexual intercourse, by age and sex

Aged 16-74, with at least one opposite-sex partner in lifetime^a

2010-2012

| Willingness of both partners on occasion of first sexual intercourse | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|--|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| Both willing | 90 | 91 | 92 | 92 | 92 | 93 | 91 | 92 |
| Respondent more willing | 3 | 3 | 4 | 4 | 5 | 5 | 4 | 4 |
| Partner more willing | 6 | 5 | 4 | 4 | 4 | 3 | 5 | 5 |
| <i>Respondent also willing</i> | 4 | 4 | 2 | 3 | 3 | 2 | 3 | 3 |
| <i>Respondent had to be persuaded</i> | 2 | 2 | 2 | 1 | 1 | <1 | 2 | 1 |
| <i>Respondent was forced</i> | <1 | <1 | - | - | <1 | - | <1 | <0.1 |
| Women | | | | | | | | |
| Both willing | 82 | 82 | 82 | 82 | 81 | 82 | 82 | 82 |
| Respondent more willing | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 |
| Partner more willing | 16 | 16 | 16 | 17 | 18 | 17 | 16 | 17 |
| <i>Respondent also willing</i> | 6 | 7 | 5 | 4 | 5 | 5 | 6 | 5 |
| <i>Respondent had to be persuaded</i> | 9 | 8 | 10 | 11 | 11 | 11 | 9 | 10 |
| <i>Respondent was forced</i> | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 2 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1329 | 1429 | 775 | 745 | 724 | 629 | 3533 | 5631 |
| <i>Women</i> | 1683 | 2386 | 1180 | 1084 | 989 | 829 | 5249 | 8151 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 975 | 1284 | 1367 | 1335 | 1135 | 814 | 3626 | 6910 |
| <i>Women</i> | 937 | 1320 | 1408 | 1399 | 1191 | 888 | 3665 | 7143 |

a Based on respondents who were aged 13 or over when they first had heterosexual intercourse.

Table 7

Contraception used on occasion of first heterosexual intercourse, by age and sex

Aged 16-74, with at least one opposite-sex partner in lifetime^a

2010-2012

| Contraception used on occasion of first sexual intercourse | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|--|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| Used condom ^b | 81 | 68 | 56 | 39 | 38 | 35 | 67 | 53 |
| Used another reliable method, but no condom ^c | 7 | 9 | 11 | 20 | 14 | 9 | 9 | 12 |
| Used unreliable method ^d | 2 | 2 | 5 | 6 | 9 | 12 | 3 | 6 |
| No contraception used | 10 | 21 | 28 | 35 | 39 | 45 | 21 | 29 |
| Women | | | | | | | | |
| Used condom ^b | 82 | 73 | 59 | 45 | 39 | 39 | 70 | 56 |
| Used another reliable method, but no condom ^c | 8 | 10 | 17 | 24 | 18 | 8 | 12 | 15 |
| Used unreliable method ^d | 1 | 2 | 4 | 3 | 10 | 11 | 3 | 5 |
| No contraception used | 10 | 15 | 19 | 27 | 34 | 42 | 15 | 24 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1327 | 1425 | 771 | 743 | 723 | 628 | 3523 | 5617 |
| <i>Women</i> | 1660 | 2343 | 1159 | 1047 | 974 | 807 | 5162 | 7990 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 974 | 1280 | 1363 | 1334 | 1134 | 813 | 3617 | 6897 |
| <i>Women</i> | 926 | 1298 | 1382 | 1356 | 1172 | 862 | 3606 | 6996 |

a Based on respondents whose first experience of heterosexual intercourse was not forced and which took place when they were aged 13 or over.

b Includes condom use and another method of contraception.

c Reliable methods include the pill, emergency contraception.

d Unreliable methods include withdrawal, the rhythm method.

Table 8

Current opinion of the timing of first heterosexual intercourse, by age and sex

Aged 16-74, with at least one opposite-sex partner in lifetime^a

2010-2012

| Current opinion of the timing of first heterosexual intercourse | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| Should have waited longer | 22 | 15 | 18 | 15 | 13 | 12 | 18 | 16 |
| Should not have waited so long | 5 | 8 | 10 | 8 | 9 | 12 | 8 | 9 |
| About the right time | 73 | 77 | 72 | 77 | 78 | 76 | 74 | 76 |
| Women | | | | | | | | |
| Should have waited longer | 36 | 32 | 32 | 29 | 24 | 19 | 33 | 29 |
| Should not have waited so long | 4 | 3 | 3 | 3 | 5 | 5 | 3 | 4 |
| About the right time | 60 | 65 | 66 | 67 | 71 | 76 | 64 | 67 |
| <i>Unweighted bases</i> | | | | | | | | |
| Men | 1319 | 1419 | 771 | 736 | 715 | 624 | 3509 | 5584 |
| Women | 1656 | 2332 | 1162 | 1048 | 973 | 808 | 5150 | 7979 |
| <i>Weighted bases</i> | | | | | | | | |
| Men | 967 | 1274 | 1362 | 1320 | 1120 | 807 | 3604 | 6851 |
| Women | 922 | 1291 | 1385 | 1354 | 1170 | 868 | 3599 | 6991 |

a Based on respondents whose first experience of heterosexual intercourse was not forced and which took place when they were aged 13 or over.

Table 9

Sexual competence on occasion of first heterosexual intercourse, by age and sex

Aged 16-74, with at least one opposite-sex partner in lifetime^b

2010-2012

| Sexual competence on occasion of first heterosexual intercourse | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| Not competent | 44 | 47 | 53 | 56 | 61 | 67 | 48 | 54 |
| Competent | 56 | 53 | 47 | 44 | 39 | 33 | 52 | 46 |
| Women | | | | | | | | |
| Not competent | 52 | 49 | 51 | 54 | 57 | 57 | 51 | 53 |
| Competent | 48 | 51 | 49 | 46 | 43 | 43 | 49 | 47 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1323 | 1424 | 773 | 744 | 721 | 625 | 3520 | 5610 |
| <i>Women</i> | 1679 | 2381 | 1175 | 1075 | 988 | 822 | 5235 | 8120 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 970 | 1279 | 1364 | 1332 | 1130 | 809 | 3613 | 6885 |
| <i>Women</i> | 936 | 1316 | 1402 | 1388 | 1189 | 880 | 3654 | 7112 |

a *Sexual competence defined as not having met the following four self-reported criteria: both partners equally willing, use of reliable contraception, autonomy of decision – i.e. not due to peer pressure, drunkenness or drugs – and occurrence at the perceived 'right time'. Reliable contraception defined as condom or the contraceptive pill.*

b *Based on respondents whose first experience of heterosexual intercourse was not forced and which took place when they were aged 13 or over.*

Table 10

Sexual attraction, by age and sex

Aged 16-74

2010-2012

| Sexual attraction | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|--|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| Women only | 92 | 92 | 95 | 93 | 91 | 95 | 93 | 93 |
| More often women, men at least once | 4 | 5 | 3 | 4 | 6 | 3 | 4 | 4 |
| About equally often men and women | 1 | <1 | <1 | 1 | 1 | <1 | 1 | 1 |
| More often men, women at least once | 1 | 1 | 1 | 1 | 1 | <1 | 1 | 1 |
| Men only | 1 | 2 | 1 | 1 | 1 | <1 | 1 | 1 |
| Never felt sexually attracted to anyone at all | 1 | <1 | <1 | <1 | 1 | <1 | 1 | <1 |
| Women | | | | | | | | |
| Men only | 81 | 82 | 86 | 90 | 94 | 96 | 83 | 88 |
| More often men, women at least once | 13 | 15 | 11 | 8 | 4 | 3 | 13 | 9 |
| About equally often women and men | 3 | 1 | 1 | 1 | <1 | 1 | 2 | 1 |
| More often women, men at least once | 1 | 1 | 1 | 1 | <1 | <1 | 1 | 1 |
| Women only | 1 | <1 | 1 | 1 | <1 | <1 | <1 | <1 |
| Never felt sexually attracted to anyone at all | 2 | 1 | 1 | <1 | 1 | 1 | 1 | 1 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1727 | 1521 | 805 | 787 | 771 | 662 | 4053 | 6273 |
| <i>Women</i> | 2137 | 2484 | 1210 | 1121 | 1028 | 874 | 5831 | 8854 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1236 | 1372 | 1424 | 1403 | 1196 | 855 | 4033 | 7487 |
| <i>Women</i> | 1205 | 1378 | 1450 | 1439 | 1232 | 935 | 4033 | 7639 |

Table 11

Sexual experience, by age and sex

Aged 16-74

2010-2012

| Sexual experience | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|--|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| Women only | 87 | 92 | 94 | 93 | 91 | 95 | 91 | 92 |
| More often women, men at least once | 5 | 5 | 4 | 5 | 6 | 4 | 5 | 5 |
| About equally often men and women | <1 | <1 | <1 | - | 1 | <1 | <1 | <1 |
| More often men, women at least once | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 |
| Men only | 1 | 1 | 1 | 1 | 1 | <1 | 1 | 1 |
| Never had sexual experience with anyone at all | 6 | 1 | <1 | <1 | 1 | 1 | 2 | 1 |
| Women | | | | | | | | |
| Men only | 75 | 82 | 89 | 92 | 94 | 98 | 82 | 88 |
| More often men, women at least once | 16 | 16 | 9 | 6 | 5 | 1 | 14 | 9 |
| About equally often women and men | 2 | <1 | 1 | <1 | <1 | <1 | 1 | 1 |
| More often women, men at least once | 1 | 1 | 1 | 1 | 1 | <1 | 1 | 1 |
| Women only | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Never had sexual experience with anyone at all | 6 | 1 | <1 | - | <1 | <1 | 2 | 1 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1726 | 1520 | 804 | 785 | 767 | 661 | 4050 | 6263 |
| <i>Women</i> | 2134 | 2479 | 1209 | 1119 | 1028 | 874 | 5822 | 8843 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1236 | 1370 | 1423 | 1400 | 1191 | 853 | 4029 | 7474 |
| <i>Women</i> | 1203 | 1375 | 1447 | 1435 | 1232 | 935 | 4025 | 7628 |

Table 12

Ever had heterosexual sex^a, by age and sex

Aged 16-74

2010-2012

| Ever had heterosexual sex ^a | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|--|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | 80 | 95 | 98 | 98 | 98 | 98 | 92 | 95 |
| Women | 81 | 97 | 100 | 99 | 99 | 99 | 93 | 96 |
| <i>Unweighted bases</i> | | | | | | | | |
| Men | 1725 | 1520 | 804 | 789 | 764 | 663 | 4049 | 6265 |
| Women | 2137 | 2484 | 1206 | 1116 | 1025 | 865 | 5827 | 8833 |
| <i>Weighted bases</i> | | | | | | | | |
| Men | 1236 | 1371 | 1423 | 1403 | 1185 | 854 | 4030 | 7472 |
| Women | 1205 | 1378 | 1443 | 1433 | 1229 | 923 | 4026 | 7612 |

a Heterosexual sex at the age of 13 or above.

Table 13

Last occasion of vaginal sex^a, by age and sex

Aged 16-74

2010-2012

| Last occasion of vaginal sex | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|----------------------------------|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| In last 7 days | 35 | 53 | 52 | 46 | 36 | 21 | 47 | 42 |
| Between 7 days and 4 weeks ago | 17 | 22 | 23 | 23 | 19 | 16 | 21 | 21 |
| Between 4 weeks and 6 months ago | 13 | 9 | 11 | 12 | 12 | 10 | 11 | 11 |
| Between 6 months and 1 year ago | 8 | 5 | 5 | 4 | 7 | 9 | 6 | 6 |
| Between 1 year and 5 years ago | 5 | 4 | 5 | 8 | 11 | 19 | 5 | 8 |
| Longer than 5 years ago | 1 | 2 | 3 | 5 | 11 | 22 | 2 | 6 |
| Never | 21 | 6 | 2 | 3 | 3 | 2 | 9 | 6 |
| Women | | | | | | | | |
| In last 7 days | 42 | 54 | 48 | 43 | 26 | 10 | 48 | 39 |
| Between 7 days and 4 weeks ago | 18 | 22 | 24 | 22 | 16 | 11 | 22 | 19 |
| Between 4 weeks and 6 months ago | 10 | 11 | 12 | 12 | 10 | 9 | 11 | 11 |
| Between 6 months and 1 year ago | 6 | 4 | 5 | 5 | 8 | 7 | 5 | 6 |
| Between 1 year and 5 years ago | 4 | 5 | 7 | 10 | 17 | 18 | 5 | 9 |
| Longer than 5 years ago | <1 | 2 | 3 | 7 | 23 | 44 | 2 | 11 |
| Never | 21 | 3 | 1 | 1 | 1 | 1 | 8 | 5 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1713 | 1500 | 795 | 771 | 729 | 613 | 4008 | 6121 |
| <i>Women</i> | 2118 | 2435 | 1183 | 1091 | 994 | 816 | 5736 | 8637 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1227 | 1353 | 1403 | 1372 | 1130 | 791 | 3983 | 7276 |
| <i>Women</i> | 1195 | 1350 | 1418 | 1400 | 1188 | 870 | 3962 | 7419 |

a Vaginal sex defined as a man's penis in a woman's vagina.

Table 14

Last occasion of heterosexual oral sex to partner, by age and sex

Aged 16-74

2010-2012

| Last occasion of heterosexual oral sex ^a to partner | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|--|------------------|-------------|-------------|-------------|-------------|------------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| In last 7 days | 24 | 28 | 25 | 23 | 15 | 10 | 26 | 22 |
| Between 7 days and 4 weeks ago | 18 | 21 | 21 | 19 | 12 | 5 | 20 | 17 |
| Between 4 weeks and 6 months ago | 15 | 16 | 16 | 17 | 12 | 7 | 16 | 14 |
| Between 6 months and 1 year ago | 8 | 9 | 12 | 9 | 9 | 6 | 10 | 9 |
| Between 1 year and 5 years ago | 6 | 10 | 14 | 12 | 15 | 13 | 10 | 12 |
| Longer than 5 years ago | 1 | 4 | 6 | 12 | 21 | 32 | 4 | 11 |
| Never | 29 | 12 | 6 | 8 | 16 | 27 | 15 | 15 |
| Women | | | | | | | | |
| In last 7 days | 26 | 27 | 20 | 16 | 8 | 4 | 24 | 17 |
| Between 7 days and 4 weeks ago | 18 | 23 | 24 | 17 | 8 | 3 | 22 | 16 |
| Between 4 weeks and 6 months ago | 14 | 17 | 18 | 15 | 8 | 5 | 17 | 14 |
| Between 6 months and 1 year ago | 9 | 10 | 9 | 10 | 7 | 4 | 9 | 8 |
| Between 1 year and 5 years ago | 5 | 10 | 15 | 16 | 16 | 9 | 10 | 12 |
| Longer than 5 years ago | 1 | 3 | 6 | 14 | 29 | 34 | 3 | 13 |
| Never | 27 | 11 | 8 | 13 | 25 | 41 | 14 | 19 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | <i>1713</i> | <i>1501</i> | <i>792</i> | <i>771</i> | <i>728</i> | <i>615</i> | <i>4006</i> | <i>6120</i> |
| <i>Women</i> | <i>2119</i> | <i>2431</i> | <i>1181</i> | <i>1087</i> | <i>993</i> | <i>809</i> | <i>5731</i> | <i>8620</i> |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | <i>1227</i> | <i>1354</i> | <i>1398</i> | <i>1371</i> | <i>1129</i> | <i>793</i> | <i>3979</i> | <i>7272</i> |
| <i>Women</i> | <i>1195</i> | <i>1348</i> | <i>1415</i> | <i>1391</i> | <i>1187</i> | <i>860</i> | <i>3958</i> | <i>7396</i> |

a Oral sex defined as a man or woman's mouth on a partner's genital area

Table 15

Last occasion of heterosexual oral sex from partner, by age and sex

Aged 16-74

2010-2012

| Last occasion of heterosexual oral sex ^a from partner | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|--|------------------|-------------|-------------|-------------|-------------|------------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| In last 7 days | 26 | 30 | 23 | 23 | 15 | 7 | 26 | 22 |
| Between 7 days and 4 weeks ago | 19 | 22 | 22 | 17 | 12 | 6 | 21 | 17 |
| Between 4 weeks and 6 months ago | 16 | 16 | 18 | 16 | 11 | 7 | 17 | 15 |
| Between 6 months and 1 year ago | 8 | 9 | 11 | 10 | 8 | 5 | 9 | 9 |
| Between 1 year and 5 years ago | 6 | 10 | 13 | 13 | 14 | 14 | 9 | 11 |
| Longer than 5 years ago | 1 | 4 | 6 | 13 | 23 | 31 | 4 | 11 |
| Never | 25 | 10 | 8 | 8 | 19 | 31 | 14 | 15 |
| Women | | | | | | | | |
| In last 7 days | 22 | 24 | 17 | 13 | 8 | 4 | 21 | 15 |
| Between 7 days and 4 weeks ago | 20 | 22 | 22 | 16 | 7 | 3 | 21 | 16 |
| Between 4 weeks and 6 months ago | 15 | 18 | 20 | 18 | 9 | 4 | 18 | 15 |
| Between 6 months and 1 year ago | 9 | 10 | 11 | 10 | 7 | 4 | 10 | 9 |
| Between 1 year and 5 years ago | 6 | 12 | 15 | 16 | 18 | 11 | 11 | 13 |
| Longer than 5 years ago | 1 | 4 | 8 | 15 | 28 | 34 | 4 | 14 |
| Never | 28 | 10 | 8 | 13 | 24 | 41 | 15 | 19 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | <i>1713</i> | <i>1501</i> | <i>791</i> | <i>771</i> | <i>728</i> | <i>613</i> | <i>4005</i> | <i>6117</i> |
| <i>Women</i> | <i>2119</i> | <i>2430</i> | <i>1179</i> | <i>1086</i> | <i>992</i> | <i>809</i> | <i>5728</i> | <i>8615</i> |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | <i>1227</i> | <i>1354</i> | <i>1397</i> | <i>1371</i> | <i>1129</i> | <i>792</i> | <i>3978</i> | <i>7269</i> |
| <i>Women</i> | <i>1195</i> | <i>1347</i> | <i>1412</i> | <i>1391</i> | <i>1186</i> | <i>860</i> | <i>3954</i> | <i>7391</i> |

a Oral sex defined as a man or woman's mouth on a partner's genital area

Table 16

Last occasion of heterosexual anal sex, by age and sex

Aged 16-74

2010-2012

| Last occasion of heterosexual anal sex ^a | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-------------|-------------|-------------|-------------|------------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| In last 7 days | 2 | 4 | 2 | 1 | 1 | 1 | 2 | 2 |
| Between 7 days and 4 weeks ago | 3 | 4 | 3 | 3 | 1 | 1 | 3 | 3 |
| Between 4 weeks and 6 months ago | 6 | 5 | 5 | 4 | 3 | 1 | 5 | 4 |
| Between 6 months and 1 year ago | 7 | 5 | 6 | 5 | 2 | <1 | 6 | 5 |
| Between 1 year and 5 years ago | 10 | 20 | 14 | 9 | 6 | 3 | 14 | 11 |
| Longer than 5 years ago | 1 | 11 | 14 | 15 | 12 | 9 | 9 | 11 |
| Never | 71 | 52 | 57 | 63 | 74 | 85 | 59 | 65 |
| Women | | | | | | | | |
| In last 7 days | 2 | 2 | 2 | 1 | 1 | 2 | 2 | 2 |
| Between 7 days and 4 weeks ago | 3 | 3 | 2 | 2 | 1 | <1 | 3 | 2 |
| Between 4 weeks and 6 months ago | 6 | 5 | 4 | 3 | 1 | 1 | 5 | 3 |
| Between 6 months and 1 year ago | 6 | 5 | 4 | 2 | 1 | 1 | 5 | 3 |
| Between 1 year and 5 years ago | 10 | 13 | 10 | 6 | 3 | 2 | 11 | 8 |
| Longer than 5 years ago | 2 | 11 | 13 | 10 | 12 | 12 | 9 | 10 |
| Never | 71 | 61 | 64 | 75 | 81 | 82 | 65 | 72 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | <i>1713</i> | <i>1500</i> | <i>792</i> | <i>771</i> | <i>729</i> | <i>615</i> | <i>4005</i> | <i>6120</i> |
| <i>Women</i> | <i>2121</i> | <i>2433</i> | <i>1180</i> | <i>1087</i> | <i>994</i> | <i>810</i> | <i>5734</i> | <i>8625</i> |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | <i>1227</i> | <i>1353</i> | <i>1398</i> | <i>1371</i> | <i>1129</i> | <i>793</i> | <i>3979</i> | <i>7271</i> |
| <i>Women</i> | <i>1196</i> | <i>1349</i> | <i>1412</i> | <i>1395</i> | <i>1188</i> | <i>862</i> | <i>3958</i> | <i>7402</i> |

a Anal sex defined as a man's penis in a partner's anus (rectum or back passage)

Table 17

Last occasion of heterosexual genital contact not involving intercourse, by age and sex

Aged 16-74

2010-2012

| Last occasion of heterosexual genital contact not involving intercourse ^a | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|--|------------------|-------------|-------------|-------------|-------------|------------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | | | | | | | | |
| In last 7 days | 28 | 34 | 28 | 26 | 19 | 11 | 30 | 26 |
| Between 7 days and 4 weeks ago | 20 | 20 | 24 | 19 | 16 | 10 | 21 | 19 |
| Between 4 weeks and 6 months ago | 15 | 15 | 12 | 15 | 13 | 9 | 14 | 13 |
| Between 6 months and 1 year ago | 8 | 7 | 10 | 7 | 8 | 6 | 8 | 8 |
| Between 1 year and 5 years ago | 7 | 8 | 9 | 11 | 12 | 17 | 8 | 10 |
| Longer than 5 years ago | 2 | 4 | 7 | 11 | 15 | 27 | 4 | 10 |
| Never | 19 | 12 | 11 | 12 | 17 | 19 | 14 | 15 |
| Women | | | | | | | | |
| In last 7 days | 31 | 31 | 24 | 21 | 11 | 8 | 28 | 22 |
| Between 7 days and 4 weeks ago | 19 | 24 | 23 | 20 | 12 | 7 | 22 | 18 |
| Between 4 weeks and 6 months ago | 15 | 14 | 18 | 13 | 10 | 7 | 16 | 13 |
| Between 6 months and 1 year ago | 8 | 8 | 9 | 9 | 8 | 7 | 8 | 8 |
| Between 1 year and 5 years ago | 6 | 9 | 10 | 11 | 18 | 12 | 8 | 11 |
| Longer than 5 years ago | 1 | 4 | 7 | 15 | 24 | 38 | 4 | 13 |
| Never | 21 | 10 | 9 | 12 | 17 | 22 | 13 | 14 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | <i>1709</i> | <i>1497</i> | <i>795</i> | <i>770</i> | <i>728</i> | <i>613</i> | <i>4001</i> | <i>6112</i> |
| <i>Women</i> | <i>2116</i> | <i>2430</i> | <i>1177</i> | <i>1090</i> | <i>993</i> | <i>810</i> | <i>5723</i> | <i>8616</i> |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | <i>1225</i> | <i>1348</i> | <i>1404</i> | <i>1369</i> | <i>1128</i> | <i>789</i> | <i>3977</i> | <i>7264</i> |
| <i>Women</i> | <i>1194</i> | <i>1347</i> | <i>1411</i> | <i>1400</i> | <i>1187</i> | <i>862</i> | <i>3952</i> | <i>7401</i> |

^a *Genital contact defined as: forms of contact with the genital area NOT leading to intercourse (vaginal, oral, or anal) but intended to achieve orgasm, for example stimulating by hand (mutual masturbation).*

Table 18

Number of occasions of heterosexual sex in last four weeks, by age and sex

Aged 16-74, with at least one opposite-sex partner in last year

2010-2012

| Number of occasions of heterosexual sex ^a | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|--|------------------|-----------|-----------|-----------|-----------|-----------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| 0 | 26 | 16 | 17 | 18 | 26 | 37 | 19 | 21 |
| 1 | 10 | 10 | 12 | 13 | 16 | 16 | 11 | 12 |
| 2 | 10 | 12 | 15 | 18 | 16 | 18 | 13 | 15 |
| 3 | 8 | 11 | 12 | 11 | 8 | 7 | 11 | 10 |
| 4 | 9 | 10 | 12 | 11 | 10 | 9 | 10 | 10 |
| 5+ | 37 | 42 | 33 | 30 | 22 | 13 | 37 | 32 |
| Mean (SD) | 5.1 (7.2) | 5.4 (6.5) | 4.1 (4.3) | 4.1 (6.1) | 3.2 (4.5) | 2.3 (3.6) | 4.9 (6.0) | 4.3 (5.7) |
| Median (IQR) | 3 (0-7) | 4 (1-8) | 3 (1-6) | 3 (1-6) | 2 (0-4) | 1 (0-3) | 3 (1-6) | 3 (1-6) |
| Women | | | | | | | | |
| 0 | 20 | 16 | 19 | 23 | 35 | 49 | 18 | 23 |
| 1 | 9 | 11 | 12 | 14 | 15 | 20 | 11 | 12 |
| 2 | 10 | 12 | 14 | 15 | 13 | 14 | 12 | 13 |
| 3 | 10 | 11 | 13 | 12 | 9 | 5 | 11 | 11 |
| 4 | 7 | 10 | 12 | 10 | 11 | 6 | 10 | 10 |
| 5+ | 44 | 40 | 30 | 26 | 18 | 6 | 37 | 30 |
| Mean (SD) | 5.8 (6.6) | 4.9 (5.1) | 4.0 (4.6) | 3.4 (4.2) | 2.5 (3.4) | 1.3 (2.3) | 4.8 (5.4) | 4.0 (4.9) |
| Median (IQR) | 4 (1-8) | 4 (1-7) | 3 (1-5) | 2 (1-5) | 2 (0-4) | 1 (0-2) | 3 (1-6) | 3 (1-6) |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1256 | 1334 | 708 | 624 | 509 | 321 | 3298 | 4752 |
| <i>Women</i> | 1636 | 2209 | 1029 | 852 | 567 | 277 | 4874 | 6570 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 923 | 1206 | 1283 | 1182 | 848 | 463 | 3412 | 5905 |
| <i>Women</i> | 906 | 1232 | 1265 | 1168 | 753 | 350 | 3403 | 5673 |

a Defined as vaginal, oral, or anal sex

Table 19

Last occasion of masturbation, by age and sex

Aged 16-74

2010-2012

| Last occasion of masturbation | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|----------------------------------|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| In last 7 days | 69 | 63 | 54 | 46 | 36 | 21 | 62 | 50 |
| Between 7 days and 4 weeks ago | 17 | 20 | 22 | 23 | 22 | 15 | 20 | 20 |
| Between 4 weeks and 6 months ago | 7 | 8 | 10 | 12 | 12 | 13 | 8 | 10 |
| Between 6 months and 1 year ago | 3 | 3 | 4 | 6 | 7 | 11 | 4 | 5 |
| Between 1 year and 5 years ago | 2 | 5 | 4 | 6 | 9 | 14 | 4 | 6 |
| Longer than 5 years ago | 1 | 2 | 5 | 7 | 14 | 26 | 3 | 8 |
| Women | | | | | | | | |
| In last 7 days | 32 | 28 | 23 | 22 | 11 | 6 | 27 | 22 |
| Between 7 days and 4 weeks ago | 29 | 26 | 25 | 26 | 15 | 13 | 26 | 23 |
| Between 4 weeks and 6 months ago | 17 | 18 | 21 | 17 | 19 | 12 | 19 | 18 |
| Between 6 months and 1 year ago | 10 | 11 | 11 | 8 | 12 | 13 | 11 | 11 |
| Between 1 year and 5 years ago | 10 | 9 | 10 | 12 | 18 | 20 | 10 | 12 |
| Longer than 5 years ago | 3 | 7 | 10 | 15 | 25 | 36 | 7 | 14 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1528 | 1409 | 754 | 716 | 663 | 559 | 3691 | 5629 |
| <i>Women</i> | 1212 | 1938 | 987 | 853 | 710 | 447 | 4137 | 6147 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1099 | 1262 | 1328 | 1272 | 1028 | 720 | 3690 | 6709 |
| <i>Women</i> | 682 | 1078 | 1173 | 1078 | 845 | 468 | 2933 | 5324 |

Table 20

Ever had sexual experience or contact with partner of the same sex, by age and sex

Aged 16-74

2010-2012

| Ever had same-sex experience/contact | Age at interview | | | | | | Total aged 16- 44 % | Total aged 16- 74 % |
|---|------------------|-------------|-------------|-------------|-------------|------------|------------------------------|------------------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | | | | | | | | |
| Any sexual experience or contact | 7 | 8 | 7 | 9 | 10 | 6 | 7 | 8 |
| Sexual experience involving genital contact | 4 | 6 | 5 | 7 | 7 | 3 | 5 | 6 |
| Women | | | | | | | | |
| Any sexual experience or contact | 19 | 18 | 12 | 9 | 7 | 3 | 16 | 11 |
| Sexual experience involving genital contact | 8 | 9 | 7 | 7 | 3 | 1 | 8 | 6 |
| <i>Unweighted bases^a</i> | | | | | | | | |
| <i>Men</i> | <i>1727</i> | <i>1521</i> | <i>806</i> | <i>789</i> | <i>772</i> | <i>662</i> | <i>4054</i> | <i>6277</i> |
| <i>Women</i> | <i>2139</i> | <i>2484</i> | <i>1211</i> | <i>1121</i> | <i>1029</i> | <i>874</i> | <i>5834</i> | <i>8858</i> |
| <i>Weighted bases^a</i> | | | | | | | | |
| <i>Men</i> | <i>1237</i> | <i>1371</i> | <i>1425</i> | <i>1405</i> | <i>1197</i> | <i>855</i> | <i>4033</i> | <i>7490</i> |
| <i>Women</i> | <i>1206</i> | <i>1378</i> | <i>1448</i> | <i>1439</i> | <i>1234</i> | <i>935</i> | <i>4033</i> | <i>7640</i> |

a Bases shown for any sexual experience or contact.

Table 21

Had sexual intercourse with partner of the same sex before the age of 16, by age and sex

Aged 16-74

2010-2012

Had intercourse with someone of the same sex before the age of 16

| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | Total aged 16- 44 | Total aged 16- 74 |
|-------------------------|-------|-------|-------|-------|-------|-------|-------------------------|-------------------------|
| | % | % | % | % | % | % | % | % |
| Men | 2 | 1 | 1 | 2 | 3 | 1 | 1 | 2 |
| Women | 2 | 1 | 1 | 1 | <1 | <1 | 1 | 1 |
| <i>Unweighted bases</i> | | | | | | | | |
| Men | 1727 | 1516 | 805 | 788 | 769 | 659 | 4060 | 6264 |
| Women | 2136 | 2482 | 1210 | 1120 | 1026 | 872 | 5828 | 8846 |
| <i>Weighted bases</i> | | | | | | | | |
| Men | 1237 | 1368 | 1423 | 1403 | 1193 | 850 | 4038 | 7474 |
| Women | 1205 | 1377 | 1447 | 1438 | 1229 | 930 | 4030 | 7627 |

Table 22

Last occasion of oral sex to same-sex partner, by age and sex

Aged 16-74

2010-2012

| Last occasion of oral sex to same-sex partner | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| In last 7 days | 1 | 2 | 1 | 1 | <1 | <1 | 1 | 1 |
| Between 7 days and 4 weeks ago | 1 | <1 | 1 | 1 | <1 | <1 | <1 | <1 |
| Between 4 weeks and 6 months ago | 1 | 1 | <1 | 1 | 1 | <1 | 1 | 1 |
| Between 6 months and 1 year ago | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Between 1 year and 5 years ago | <1 | <1 | 1 | <1 | 1 | <1 | <1 | <1 |
| Longer than 5 years ago | <1 | 1 | 1 | 2 | 2 | 1 | 1 | 1 |
| Never | 97 | 96 | 96 | 95 | 96 | 98 | 96 | 96 |
| Women | | | | | | | | |
| In last 7 days | 1 | 1 | 1 | <1 | <1 | <1 | 1 | <1 |
| Between 7 days and 4 weeks ago | <1 | <1 | 1 | <1 | <1 | - | 1 | <1 |
| Between 4 weeks and 6 months ago | 1 | <1 | <1 | <1 | <1 | - | <1 | <1 |
| Between 6 months and 1 year ago | 1 | <1 | <1 | <1 | <1 | - | <1 | <1 |
| Between 1 year and 5 years ago | 2 | 2 | 1 | 1 | <1 | <1 | 2 | 1 |
| Longer than 5 years ago | 1 | 3 | 2 | 3 | 2 | <1 | 2 | 2 |
| Never | 94 | 93 | 94 | 95 | 98 | 99 | 94 | 95 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1727 | 1517 | 805 | 789 | 770 | 659 | 4049 | 6267 |
| <i>Women</i> | 2134 | 2481 | 1210 | 1119 | 1028 | 872 | 5825 | 8844 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1237 | 1369 | 1423 | 1405 | 1195 | 850 | 4029 | 7479 |
| <i>Women</i> | 1204 | 1377 | 1447 | 1436 | 1233 | 930 | 4028 | 7627 |

a Oral sex defined as a man or woman's mouth on a partner's genital area

Table 23

Last occasion of oral sex from same-sex partner, by age and sex

Aged 16-74

2010-2012

| Last occasion of oral sex from same-sex partner | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-------------|-------------|-------------|-------------|------------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | | | | | | | | |
| In last 7 days | 1 | 2 | 1 | 1 | <1 | <1 | 1 | 1 |
| Between 7 days and 4 weeks ago | 1 | <1 | <1 | 1 | <1 | <1 | <1 | <1 |
| Between 4 weeks and 6 months ago | 1 | 1 | <1 | 1 | 1 | - | 1 | 1 |
| Between 6 months and 1 year ago | <1 | <1 | <1 | <1 | 1 | <1 | <1 | <1 |
| Between 1 year and 5 years ago | 1 | 1 | <1 | <1 | 1 | <1 | 1 | 1 |
| Longer than 5 years ago | <1 | 2 | 2 | 3 | 2 | 1 | 1 | 2 |
| Never | 97 | 95 | 96 | 94 | 95 | 98 | 96 | 96 |
| Women | | | | | | | | |
| In last 7 days | 1 | 1 | <1 | <1 | - | <1 | 1 | <1 |
| Between 7 days and 4 weeks ago | <1 | <1 | <1 | <1 | <1 | - | <1 | <1 |
| Between 4 weeks and 6 months ago | 1 | <1 | 1 | <1 | <1 | - | 1 | <1 |
| Between 6 months and 1 year ago | 1 | <1 | <1 | <1 | - | - | <1 | <1 |
| Between 1 year and 5 years ago | 2 | 2 | 1 | 1 | <1 | <1 | 2 | 1 |
| Longer than 5 years ago | 1 | 3 | 2 | 3 | 2 | <1 | 2 | 2 |
| Never | 94 | 93 | 94 | 95 | 98 | 99 | 94 | 95 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | <i>1727</i> | <i>1517</i> | <i>805</i> | <i>789</i> | <i>770</i> | <i>659</i> | <i>4049</i> | <i>6267</i> |
| <i>Women</i> | <i>2134</i> | <i>2481</i> | <i>1210</i> | <i>1119</i> | <i>1028</i> | <i>872</i> | <i>5825</i> | <i>8844</i> |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | <i>1237</i> | <i>1369</i> | <i>1423</i> | <i>1405</i> | <i>1195</i> | <i>850</i> | <i>4029</i> | <i>7479</i> |
| <i>Women</i> | <i>1204</i> | <i>1377</i> | <i>1447</i> | <i>1436</i> | <i>1233</i> | <i>930</i> | <i>4028</i> | <i>7627</i> |

a Oral sex defined as a man or woman's mouth on a partner's genital area

Table 24

Last occasion of anal sex to same-sex partner (men), by age and sex

Men aged 16-74

2010-2012

| Last occasion of anal sex to same-sex partner | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-------------|-------------|-------------|-------------|------------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| In last 7 days | <1 | 1 | <1 | <1 | - | <1 | <1 | <1 |
| Between 7 days and 4 weeks ago | <1 | 1 | <1 | <1 | <1 | - | <1 | <1 |
| Between 4 weeks and 6 months ago | 1 | 1 | 1 | <1 | <1 | - | 1 | 1 |
| Between 6 months and 1 year ago | <1 | <1 | <1 | <1 | <1 | - | <1 | <1 |
| Between 1 year and 5 years ago | <1 | <1 | 1 | 1 | <1 | <1 | <1 | <1 |
| Longer than 5 years ago | <1 | 1 | <1 | 2 | 1 | <1 | <1 | 1 |
| Never | 98 | 96 | 98 | 96 | 97 | 99 | 97 | 97 |
| <i>Unweighted bases</i> | <i>1727</i> | <i>1517</i> | <i>805</i> | <i>789</i> | <i>770</i> | <i>659</i> | <i>4049</i> | <i>6267</i> |
| <i>Weighted bases</i> | <i>1237</i> | <i>1369</i> | <i>1423</i> | <i>1405</i> | <i>1195</i> | <i>850</i> | <i>4029</i> | <i>7479</i> |

a Anal sex defined as a man's penis in a partner's anus (rectum or back passage)

Table 25

Last occasion of anal sex from same-sex partner (men), by age and sex

Men aged 16-74

2010-2012

| Last occasion of anal sex from same-sex partner | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-------------|-------------|-------------|-------------|------------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| In last 7 days | <1 | 1 | <1 | <1 | <1 | - | <1 | <1 |
| Between 7 days and 4 weeks ago | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Between 4 weeks and 6 months ago | <1 | 1 | 1 | 1 | <1 | <1 | 1 | <1 |
| Between 6 months and 1 year ago | <1 | <1 | <1 | <1 | - | - | <1 | <1 |
| Between 1 year and 5 years ago | <1 | 1 | <1 | 1 | 1 | - | 1 | 1 |
| Longer than 5 years ago | <1 | 1 | <1 | 1 | 1 | 1 | <1 | 1 |
| Never | 98 | 97 | 98 | 96 | 98 | 99 | 98 | 97 |
| <i>Unweighted bases</i> | <i>1727</i> | <i>1517</i> | <i>805</i> | <i>789</i> | <i>770</i> | <i>659</i> | <i>4049</i> | <i>6267</i> |
| <i>Weighted bases</i> | <i>1237</i> | <i>1369</i> | <i>1423</i> | <i>1405</i> | <i>1195</i> | <i>850</i> | <i>4029</i> | <i>7479</i> |

a Anal sex defined as a man's penis in a partner's anus (rectum or back passage)

Table 26

Last occasion of genital contact with same-sex partner not involving intercourse, by age and sex

Aged 16-74

2010-2012

| Last occasion of genital contact with same-sex partner not involving intercourse | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|--|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | | | | | | | | |
| In last 7 days | 1 | 2 | 1 | 1 | <1 | <1 | 1 | 1 |
| Between 7 days and 4 weeks ago | 1 | <1 | 1 | 1 | <1 | <1 | 1 | <1 |
| Between 4 weeks and 6 months ago | 1 | <1 | <1 | <1 | 1 | <1 | <1 | <1 |
| Between 6 months and 1 year ago | <1 | <1 | <1 | <1 | <1 | - | <1 | <1 |
| Between 1 year and 5 years ago | 1 | 1 | <1 | <1 | 1 | <1 | 1 | <1 |
| Longer than 5 years ago | 1 | 2 | 2 | 4 | 4 | 2 | 1 | 2 |
| Never | 97 | 95 | 96 | 94 | 94 | 97 | 96 | 95 |
| Women | | | | | | | | |
| In last 7 days | 1 | 1 | 1 | <1 | - | <1 | 1 | 1 |
| Between 7 days and 4 weeks ago | <1 | <1 | <1 | 1 | <1 | - | <1 | <1 |
| Between 4 weeks and 6 months ago | 1 | <1 | 1 | <1 | <1 | - | 1 | <1 |
| Between 6 months and 1 year ago | 1 | <1 | 1 | <1 | - | - | 1 | <1 |
| Between 1 year and 5 years ago | 3 | 2 | 1 | 1 | <1 | <1 | 2 | 1 |
| Longer than 5 years ago | 1 | 4 | 3 | 4 | 3 | 1 | 3 | 3 |
| Never | 93 | 92 | 93 | 94 | 97 | 99 | 93 | 94 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1727 | 1517 | 805 | 789 | 770 | 659 | 4049 | 6267 |
| <i>Women</i> | 2134 | 2482 | 1210 | 1119 | 1028 | 872 | 5826 | 8845 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1237 | 1369 | 1423 | 1405 | 1195 | 850 | 4029 | 7479 |
| <i>Women</i> | 1204 | 1377 | 1447 | 1436 | 1233 | 930 | 4029 | 7628 |

a Genital contact defined as: forms of contact with the genital area NOT leading to intercourse (vaginal, oral, or anal) but intended to achieve orgasm, for example stimulating by hand (mutual masturbation).

Table 27

Number of opposite-sex partners in lifetime, by age and sex

Aged 16-74

2010-2012

| Number of opposite-sex partners | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---------------------------------|------------------|-------------|-------------|-------------|--------------|-------------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| 0 | 20 | 5 | 2 | 2 | 2 | 2 | 8 | 6 |
| 1 | 15 | 13 | 12 | 9 | 15 | 23 | 13 | 14 |
| 2 | 12 | 7 | 6 | 7 | 9 | 11 | 8 | 8 |
| 3-4 | 16 | 14 | 12 | 14 | 18 | 18 | 14 | 15 |
| 5-9 | 18 | 24 | 26 | 25 | 24 | 23 | 23 | 23 |
| 10+ | 20 | 38 | 42 | 43 | 32 | 22 | 34 | 34 |
| Mean (SD) | 6.5 (13.3) | 13.7 (23.9) | 14.3 (24.2) | 17.5 (70.4) | 20.1 (149.2) | 12.1 (45.0) | 11.7 (21.6) | 14.1 (69.6) |
| Median (IQR) | 3 (1-7) | 6 (3-15) | 8 (4-18) | 8 (4-20) | 5 (2-11) | 4 (2-8) | 6 (2-13) | 6 (2-12) |
| Women | | | | | | | | |
| 0 | 20 | 3 | 1 | 1 | 1 | 1 | 7 | 4 |
| 1 | 16 | 18 | 16 | 20 | 29 | 43 | 17 | 22 |
| 2 | 10 | 8 | 8 | 11 | 15 | 18 | 9 | 11 |
| 3-4 | 16 | 16 | 19 | 22 | 22 | 19 | 17 | 19 |
| 5-9 | 21 | 25 | 28 | 28 | 21 | 11 | 25 | 23 |
| 10+ | 16 | 30 | 28 | 19 | 12 | 8 | 25 | 20 |
| Mean (SD) | 5.2 (8.1) | 8.9 (17.2) | 8.5 (19.7) | 6.8 (11.8) | 6.1 (38.3) | 6.3 (73.9) | 7.7 (16.2) | 7.1 (32.1) |
| Median (IQR) | 3 (1-7) | 5 (2-10) | 5 (3-10) | 4 (2-7) | 3 (1-5) | 2 (1-4) | 4 (2-10) | 4 (1-8) |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | <i>1702</i> | <i>1477</i> | <i>787</i> | <i>757</i> | <i>709</i> | <i>596</i> | <i>3966</i> | <i>6028</i> |
| <i>Women</i> | <i>2107</i> | <i>2412</i> | <i>1168</i> | <i>1066</i> | <i>984</i> | <i>793</i> | <i>5687</i> | <i>8530</i> |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | <i>1218</i> | <i>1334</i> | <i>1387</i> | <i>1355</i> | <i>1102</i> | <i>773</i> | <i>3940</i> | <i>7170</i> |
| <i>Women</i> | <i>1188</i> | <i>1339</i> | <i>1399</i> | <i>1373</i> | <i>1178</i> | <i>846</i> | <i>3926</i> | <i>7323</i> |

Table 28

Number of opposite-sex partners in last five years, by age and sex

Aged 16-74

2010-2012

| Number of opposite-sex partners | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---------------------------------|------------------|-------------|-------------|-------------|-------------|------------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| 0 | 21 | 7 | 4 | 8 | 15 | 28 | 10 | 12 |
| 1 | 19 | 44 | 68 | 68 | 68 | 63 | 45 | 55 |
| 2 | 13 | 13 | 10 | 11 | 7 | 4 | 12 | 10 |
| 3-4 | 17 | 16 | 9 | 7 | 5 | 3 | 14 | 10 |
| 5-9 | 17 | 12 | 6 | 4 | 3 | 1 | 11 | 7 |
| 10+ | 13 | 10 | 3 | 3 | 2 | 1 | 9 | 6 |
| Mean (SD) | 4.8 (8.2) | 3.8 (6.8) | 2.2 (6.9) | 1.9 (4.9) | 1.6 (3.8) | 1.0 (1.7) | 3.6 (7.4) | 2.7 (6.2) |
| Median (IQR) | 2 (1-5) | 1 (1-4) | 1 (1-2) | 1 (1-1) | 1 (1-1) | 1 (0-1) | 1 (1-4) | 1 (1-2) |
| Women | | | | | | | | |
| 0 | 20 | 4 | 4 | 9 | 26 | 45 | 9 | 16 |
| 1 | 23 | 57 | 75 | 77 | 69 | 53 | 53 | 60 |
| 2 | 14 | 14 | 11 | 9 | 4 | 1 | 13 | 9 |
| 3-4 | 17 | 14 | 7 | 4 | 1 | 0 | 12 | 8 |
| 5-9 | 16 | 8 | 3 | 1 | 0 | 0 | 9 | 5 |
| 10+ | 10 | 3 | 1 | 1 | 0 | 0 | 4 | 2 |
| Mean (SD) | 3.7 (5.4) | 2.3 (3.2) | 2.1 (16.0) | 1.2 (1.5) | 0.8 (0.7) | 0.6 (0.7) | 2.6 (10.2) | 1.8 (7.5) |
| Median (IQR) | 2 (1-5) | 1 (1-2) | 1 (1-1) | 1 (1-1) | 1 (0-1) | 1 (0-1) | 1 (1-3) | 1 (1-1) |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | <i>1704</i> | <i>1489</i> | <i>787</i> | <i>766</i> | <i>713</i> | <i>608</i> | <i>3980</i> | <i>6067</i> |
| <i>Women</i> | <i>2104</i> | <i>2420</i> | <i>1173</i> | <i>1075</i> | <i>986</i> | <i>802</i> | <i>5697</i> | <i>8560</i> |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | <i>1220</i> | <i>1344</i> | <i>1388</i> | <i>1366</i> | <i>1101</i> | <i>786</i> | <i>3953</i> | <i>7206</i> |
| <i>Women</i> | <i>1186</i> | <i>1342</i> | <i>1406</i> | <i>1383</i> | <i>1180</i> | <i>856</i> | <i>3934</i> | <i>7353</i> |

Table 29

Number of opposite-sex partners in last year, by age and sex

Aged 16-74

2010-2012

| Number of opposite-sex partners | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---------------------------------|------------------|-----------|-----------|-----------|-----------|-----------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| 0 | 24 | 10 | 8 | 13 | 23 | 40 | 13 | 18 |
| 1 | 42 | 71 | 82 | 76 | 68 | 56 | 66 | 67 |
| 2 | 15 | 8 | 5 | 6 | 4 | 2 | 9 | 7 |
| 3 | 11 | 7 | 4 | 3 | 2 | 1 | 7 | 5 |
| 5+ | 8 | 4 | 1 | 2 | 2 | 1 | 4 | 3 |
| Mean (SD) | 1.9 (3.3) | 1.6 (3.2) | 1.2 (1.1) | 1.1 (1.3) | 1.0 (1.2) | 0.7 (0.7) | 1.5 (2.7) | 1.3 (2.2) |
| Median (IQR) | 1 (1-2) | 1 (1-1) | 1 (1-1) | 1 (1-1) | 1 (1-1) | 1 (0-1) | 1 (1-1) | 1 (1-1) |
| Women | | | | | | | | |
| 0 | 23 | 8 | 9 | 15 | 36 | 58 | 13 | 22 |
| 1 | 50 | 79 | 83 | 80 | 62 | 41 | 72 | 68 |
| 2 | 12 | 6 | 5 | 3 | 1 | 0 | 7 | 5 |
| 3 | 9 | 4 | 2 | 1 | 0 | 0 | 5 | 3 |
| 5+ | 6 | 3 | 1 | 0 | 0 | - | 3 | 2 |
| Mean (SD) | 1.5 (2.0) | 1.2 (1.3) | 1.3 (5.4) | 0.9 (0.7) | 0.7 (0.6) | 0.4 (0.5) | 1.3 (3.5) | 1.0 (2.6) |
| Median (IQR) | 1 (1-2) | 1 (1-1) | 1 (1-1) | 1 (1-1) | 1 (0-1) | 0 (0-1) | 1 (1-1) | 1 (1-1) |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1698 | 1489 | 785 | 761 | 711 | 604 | 3972 | 6048 |
| <i>Women</i> | 2102 | 2416 | 1170 | 1073 | 979 | 800 | 5688 | 8540 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1215 | 1344 | 1384 | 1358 | 1097 | 782 | 3944 | 7181 |
| <i>Women</i> | 1184 | 1341 | 1402 | 1379 | 1171 | 853 | 3927 | 7330 |

Table 30

Number of new opposite-sex partners in last year, by age and sex

Aged 16-74

2010-2012

| Number of new opposite-sex partners | Age at interview | | | | | | | Total aged 16-44 | Total aged 16-74 |
|-------------------------------------|------------------|-----------|-----------|-----------|-----------|-----------|-----------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | | |
| | % | % | % | % | % | % | | | |
| Men | | | | | | | | | |
| 0 | 54 | 74 | 87 | 88 | 90 | 95 | 72 | 80 | |
| 1 | 26 | 15 | 8 | 7 | 7 | 4 | 16 | 12 | |
| 2+ | 20 | 11 | 6 | 5 | 3 | 1 | 12 | 8 | |
| Mean (SD) | 1.1 (2.3) | 0.6 (1.9) | 0.3 (1.0) | 0.2 (0.8) | 0.2 (0.7) | 0.1 (0.4) | 0.6 (1.8) | 0.4 (1.4) | |
| Median (IQR) | 0 (0-1) | 0 (0-1) | 0 (0-0) | 0 (0-0) | 0 (0-0) | 0 (0-0) | 0 (0-1) | 0 (0-0) | |
| Women | | | | | | | | | |
| 0 | 62 | 80 | 89 | 91 | 96 | 98 | 78 | 85 | |
| 1 | 22 | 13 | 8 | 7 | 4 | 2 | 14 | 10 | |
| 2+ | 16 | 6 | 3 | 2 | <1 | <1 | 8 | 5 | |
| Mean (SD) | 0.8 (1.5) | 0.3 (1.1) | 0.3 (5.0) | 0.1 (0.6) | 0.0 (0.3) | 0.0 (0.2) | 0.5 (3.2) | 0.3 (2.4) | |
| Median (IQR) | 0 (0-1) | 0 (0-0) | 0 (0-0) | 0 (0-0) | 0 (0-0) | 0 (0-0) | 0 (0-0) | 0 (0-0) | |
| <i>Unweighted bases</i> | | | | | | | | | |
| <i>Men</i> | 1697 | 1488 | 783 | 760 | 710 | 603 | 3968 | 6041 | |
| <i>Women</i> | 2103 | 2413 | 1168 | 1073 | 979 | 799 | 5684 | 8535 | |
| <i>Weighted bases</i> | | | | | | | | | |
| <i>Men</i> | 1215 | 1343 | 1381 | 1356 | 1096 | 781 | 3938 | 7171 | |
| <i>Women</i> | 1185 | 1339 | 1399 | 1378 | 1171 | 852 | 3923 | 7323 | |

Table 31

Number of same-sex partners in lifetime, by age and sex

Aged 16-74

2010-2012

| Number of same-sex partners | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|-----------------------------|------------------|----------------|-------------------|-----------------|----------------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| 0 | 97 | 95 | 96 | 93 | 94 | 97 | 96 | 95 |
| 1 | 1 | 2 | 1 | 3 | 2 | 1 | 1 | 2 |
| 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 3-4 | 1 | <1 | 1 | 1 | 1 | <1 | <1 | 1 |
| 5-9 | <1 | 1 | <1 | 1 | 1 | <1 | <1 | 1 |
| 10+ | 1 | 2 | 1 | 2 | 1 | <1 | 1 | 1 |
| Mean (SD) ^a | 6.8 (12.0) | 28.5 (94.5) | [41.3 (106.3)] | 29.6 (118.4) | 11.7 (28.5) | b | 27.5 (88.1) | 24.4 (89.7) |
| Median (IQR) ^a | 3 (1-7) | 3 (1-20) | [2 (1-10)] | 2 (1-5) | 3 (1-6) | b | 3 (1-13) | 2 (1-8) |
| Women | | | | | | | | |
| 0 | 93 | 92 | 93 | 94 | 97 | 99 | 92 | 94 |
| 1 | 4 | 5 | 3 | 3 | 2 | <1 | 4 | 3 |
| 2 | 1 | 2 | 2 | 1 | 1 | - | 1 | 1 |
| 3-4 | 1 | 1 | 1 | 1 | <1 | <1 | 1 | 1 |
| 5-9 | 1 | 1 | 1 | <1 | <1 | <1 | 1 | <1 |
| 10+ | <1 | <1 | <1 | <1 | - | <1 | <1 | <1 |
| Mean (SD) ^a | 3.0 (6.1) | 2.3 (3.3) | 3.5 (6.7) | 2.9 (5.4) | b | b | 2.9 (5.5) | 2.8 (5.3) |
| Median (IQR) ^a | 1 (1-3) | 1 (1-3) | 2 (1-3) | 1 (1-3) | b | b | 1 (1-3) | 1 (1-3) |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1726 | 1518 | 805 | 788 | 768 | 658 | 4049 | 6263 |
| <i>Women</i> | 2135 | 2480 | 1209 | 1120 | 1028 | 871 | 5824 | 8843 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1236 | 1369 | 1423 | 1404 | 1191 | 849 | 4028 | 7472 |
| <i>Women</i> | 1205 | 1376 | 1446 | 1438 | 1233 | 930 | 4027 | 7627 |

a Mean and median based on those with at least one same-sex partner ever.

b Estimates not shown due to small bases (<30 cases).

[] Small bases (between 30 and 50 cases)

Table 32

Number of same-sex partners in last five years, by age and sex

Aged 16-74

2010-2012

| Number of same-sex partners | Age at interview | | | | | | Total aged 16-44 % | Total aged 16-74 % |
|-----------------------------|------------------|------------|-------------|------------|-----------|---------|--------------------|--------------------|
| | 16-24 % | 25-34 % | 35-44 % | 45-54 % | 55-64 % | 65-74 % | | |
| Men | | | | | | | | |
| 0 | 97 | 97 | 98 | 97 | 98 | 99 | 97 | 97 |
| 1 | 1 | 1 | 1 | 1 | 1 | <1 | 1 | 1 |
| 2 | <1 | <1 | <1 | <1 | 1 | - | <1 | <1 |
| 3-4 | 1 | <1 | <1 | 1 | <1 | <1 | <1 | <1 |
| 5-9 | <1 | <1 | <1 | <1 | <1 | - | <1 | <1 |
| 10+ | <1 | 1 | 1 | 1 | <1 | <1 | 1 | 1 |
| Mean (SD) ^a | 5.4 (11.5) | 9.6 (17.2) | 13.2 (51.7) | 4.2 (11.2) | 2.4 (7.1) | b | 9.7 (32.4) | 6.3 (23.5) |
| Median (IQR) ^a | 2 (1-6) | 1 (0-8) | 1 (0-5) | 0 (0-1) | 0 (0-2) | b | 1 (0-5) | 1 (0-3) |
| Women | | | | | | | | |
| 0 | 94 | 95 | 96 | 97 | 99 | 100 | 95 | 97 |
| 1 | 4 | 3 | 2 | 2 | 1 | - | 3 | 2 |
| 2 | 1 | 1 | <1 | <1 | <1 | <1 | 1 | 1 |
| 3-4 | 1 | 1 | <1 | <1 | - | - | 1 | <1 |
| 5-9 | <1 | <1 | <1 | - | - | - | <1 | <1 |
| 10+ | <1 | <1 | <1 | - | - | <1 | <1 | <1 |
| Mean (SD) ^a | 2.3 (5.2) | 1.1 (1.7) | 0.9 (1.6) | 0.6 (0.8) | 0.4 (0.6) | b | 1.4 (3.2) | 1.2 (2.7) |
| Median (IQR) ^a | 1 (1-2) | 1 (0-1) | 1 (0-1) | 0 (0-1) | b | b | 1 (0-1) | 1 (0-1) |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1727 | 1518 | 805 | 788 | 770 | 659 | 4050 | 6267 |
| <i>Women</i> | 2136 | 2482 | 1210 | 1119 | 1028 | 872 | 5828 | 8847 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1237 | 1369 | 1423 | 1404 | 1195 | 850 | 4030 | 7478 |
| <i>Women</i> | 1205 | 1377 | 1447 | 1437 | 1233 | 930 | 4030 | 7630 |

a Mean and median based on those with at least one same-sex partner ever.

b Estimates not shown due to small bases (<30 cases).

[] Small bases (between 30 and 50 cases)

Table 33

Number of same-sex partners in last year, by age and sex

Aged 16-74

2010-2012

| Number of same-sex partners | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|-----------------------------|------------------|-----------|--------------|-----------|-----------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| 0 | 98 | 97 | 98 | 97 | 98 | 99 | 98 | 98 |
| 1 | 1 | 1 | 1 | 1 | 1 | <1 | 1 | 1 |
| 2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 3 | 1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 5+ | <1 | 1 | <1 | 1 | 1 | <1 | <1 | <1 |
| Mean (SD) ^a | 1.6 (2.5) | 2.5 (6.2) | [3.3 (12.9)] | 1.3 (3.0) | 1.0 (2.0) | b | 2.5 (8.5) | 1.8 (6.2) |
| Median (IQR) ^a | 1 (0-2) | 1 (0-2) | 0 (0-1) | 0 (0-1) | 0 (0-1) | b | 1 (0-2) | 0 (0-1) |
| Women | | | | | | | | |
| 0 | 96 | 98 | 97 | 98 | 99 | 100 | 97 | 98 |
| 1 | 3 | 2 | 2 | 2 | 1 | <1 | 2 | 2 |
| 2 | 1 | <1 | <1 | <1 | - | - | <1 | <1 |
| 3 | <1 | <1 | <1 | <1 | - | - | <1 | <1 |
| 5+ | <1 | <1 | - | - | - | - | <1 | <1 |
| Mean (SD) ^a | 1.0 (2.7) | 0.4 (0.8) | 0.6 (0.8) | 0.4 (0.7) | b | b | 0.6 (1.6) | 0.5 (1.4) |
| Median (IQR) ^a | 1 (0-1) | 0 (0-1) | 0 (0-1) | 0 (0-1) | b | b | 0 (0-1) | 0 (0-1) |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1726 | 1518 | 805 | 787 | 770 | 659 | 4049 | 6265 |
| <i>Women</i> | 2136 | 2481 | 1209 | 1119 | 1028 | 872 | 5826 | 8845 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1237 | 1369 | 1423 | 1402 | 1195 | 850 | 4030 | 7476 |
| <i>Women</i> | 1205 | 1377 | 1447 | 1437 | 1233 | 930 | 4029 | 7629 |

a Mean and median based on those with at least one same-sex partner ever.

b Estimates not shown due to small bases (<30 cases).

[] Small bases (between 30 and 50 cases)

Table 34

Number of new same-sex partners in last year, by age and sex

Aged 16-74

2010-2012

| Number of new same-sex partners | Age at interview | | | | | | | Total aged 16-44 | Total aged 16-74 |
|---------------------------------|------------------|-----------|------------|-----------|-----------|-------|-----------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | | |
| | % | % | % | % | % | % | | | |
| Men | | | | | | | | | |
| 0 | 98 | 98 | 99 | 99 | 99 | 100 | 99 | 99 | |
| 1 | 1 | <1 | <1 | <1 | <1 | - | 1 | <1 | |
| 2+ | 1 | 1 | 1 | 1 | 1 | <1 | 1 | 1 | |
| Mean (SD) ^a | 0.9 (2.4) | 1.7 (5.9) | 2.8 (12.9) | 0.8 (2.9) | 0.7 (1.6) | b | 1.9 (8.4) | 1.3 (6.1) | |
| Median (IQR) ^a | 0 (0-1) | 0 (0-0) | 0 (0-0) | 0 (0-0) | 0 (0-0) | b | 0 (0-0) | 0 (0-0) | |
| Women | | | | | | | | | |
| 0 | 98 | 99 | 99 | 99 | 100 | 100 | 99 | 99 | |
| 1 | 1 | <1 | 1 | <1 | <1 | - | 1 | 1 | |
| 2+ | 1 | <1 | <1 | <1 | - | - | <1 | <1 | |
| Mean (SD) ^a | 0.4 (2.3) | 0.1 (0.5) | 0.1 (0.4) | 0.1 (0.5) | b | b | 0.2 (1.3) | 0.1 (1.1) | |
| Median (IQR) ^a | 0 (0-0) | 0 (0-0) | 0 (0-0) | 0 (0-0) | b | b | 0 (0-0) | 0 (0-0) | |
| <i>Unweighted bases</i> | | | | | | | | | |
| <i>Men</i> | 1726 | 1517 | 805 | 787 | 770 | 659 | 4048 | 6264 | |
| <i>Women</i> | 2136 | 2481 | 1209 | 1119 | 1028 | 872 | 5826 | 8845 | |
| <i>Weighted bases</i> | | | | | | | | | |
| <i>Men</i> | 1237 | 1368 | 1423 | 1402 | 1195 | 850 | 4028 | 7475 | |
| <i>Women</i> | 1205 | 1377 | 1447 | 1437 | 1233 | 930 | 4029 | 7629 | |

a Mean and median based on those with at least one same-sex partner ever.

b Estimates not shown due to small bases (<30 cases).

[] Small bases (between 30 and 50 cases)

Table 35

Number of opposite- and same-sex partners in lifetime, by age and sex

Aged 16-74

2010-2012

| Number of opposite- and same-sex partners | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|----------------|----------------|----------------|-----------------|----------------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| 0 | 18 | 4 | 1 | 1 | 2 | 1 | 7 | 4 |
| 1 | 15 | 12 | 11 | 8 | 15 | 23 | 13 | 13 |
| 2 | 12 | 7 | 6 | 7 | 9 | 11 | 8 | 8 |
| 3-4 | 16 | 14 | 12 | 14 | 17 | 18 | 14 | 15 |
| 5-9 | 18 | 24 | 26 | 26 | 24 | 24 | 23 | 24 |
| 10+ | 20 | 40 | 43 | 44 | 33 | 23 | 35 | 35 |
| Mean (SD) | 6.7 (13.4) | 15.3 (33.0) | 16.0 (33.0) | 19.7 (77.2) | 20.8 (149.8) | 12.8 (47.7) | 12.9 (28.7) | 15.4 (72.6) |
| Median (IQR) | 3 (1-7) | 7 (3-16) | 8 (4-19) | 8 (4-20) | 6 (2-12) | 4 (2-8) | 6 (2-14) | 6 (2-14) |
| Women | | | | | | | | |
| 0 | 19 | 2 | <1 | <1 | 1 | 1 | 7 | 4 |
| 1 | 16 | 18 | 16 | 19 | 29 | 43 | 17 | 22 |
| 2 | 10 | 8 | 8 | 11 | 15 | 17 | 9 | 11 |
| 3-4 | 16 | 16 | 19 | 21 | 21 | 19 | 17 | 19 |
| 5-9 | 21 | 25 | 29 | 28 | 22 | 11 | 25 | 23 |
| 10+ | 17 | 31 | 29 | 20 | 13 | 8 | 26 | 21 |
| Mean (SD) | 5.5 (8.6) | 9.1 (17.3) | 8.8 (21.4) | 7.0 (11.9) | 6.2 (38.3) | 6.4 (73.9) | 7.8 (17.0) | 7.3 (32.4) |
| Median (IQR) | 3 (1-7) | 5 (2-11) | 5 (3-10) | 4 (2-8) | 3 (1-5) | 2 (1-4) | 5 (2-10) | 4 (1-8) |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1701 | 1476 | 787 | 755 | 706 | 594 | 3964 | 6019 |
| <i>Women</i> | 2105 | 2410 | 1167 | 1066 | 984 | 793 | 5682 | 8525 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1218 | 1334 | 1387 | 1351 | 1097 | 770 | 3939 | 7156 |
| <i>Women</i> | 1187 | 1338 | 1398 | 1373 | 1178 | 846 | 3923 | 7320 |

Table 36

Number of opposite- and same-sex partners in last five years, by age and sex

Aged 16-74

2010-2012

| Number of opposite- and same-sex partners | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-----------|------------|-----------|-----------|-----------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | | | | | | | | |
| 0 | 19 | 4 | 3 | 6 | 14 | 28 | 8 | 11 |
| 1 | 18 | 44 | 68 | 68 | 68 | 63 | 45 | 55 |
| 2 | 13 | 13 | 10 | 11 | 7 | 5 | 12 | 10 |
| 3-4 | 18 | 16 | 9 | 8 | 5 | 3 | 14 | 10 |
| 5+ | 32 | 23 | 10 | 7 | 6 | 2 | 21 | 14 |
| Mean (SD) | 4.9 (8.3) | 4.3 (8.0) | 2.8 (12.9) | 2.2 (5.8) | 1.7 (4.4) | 1.0 (1.9) | 4.0 (10.1) | 3.0 (8.2) |
| Median (IQR) | 2 (1-6) | 2 (1-4) | 1 (1-2) | 1 (1-2) | 1 (1-1) | 1 (0-1) | 1 (1-4) | 1 (1-2) |
| Women | | | | | | | | |
| 0 | 20 | 3 | 2 | 8 | 25 | 45 | 8 | 15 |
| 1 | 23 | 56 | 75 | 77 | 70 | 53 | 53 | 60 |
| 2 | 14 | 14 | 11 | 9 | 4 | 1 | 13 | 9 |
| 3-4 | 17 | 14 | 8 | 4 | 1 | <1 | 12 | 8 |
| 5+ | 27 | 12 | 4 | 2 | <1 | 1 | 14 | 8 |
| Mean (SD) | 3.9 (5.8) | 2.4 (3.3) | 2.1 (16.4) | 1.3 (1.5) | 0.9 (0.7) | 0.6 (0.8) | 2.7 (10.5) | 1.9 (7.8) |
| Median (IQR) | 2 (1-5) | 1 (1-3) | 1 (1-1) | 1 (1-1) | 1 (1-1) | 1 (0-1) | 1 (1-3) | 1 (1-1) |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1703 | 1488 | 787 | 764 | 712 | 607 | 3978 | 6061 |
| <i>Women</i> | 2103 | 2420 | 1173 | 1075 | 986 | 802 | 5696 | 8559 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1220 | 1344 | 1388 | 1362 | 1100 | 784 | 3951 | 7197 |
| <i>Women</i> | 1186 | 1342 | 1406 | 1383 | 1180 | 856 | 3934 | 7352 |

Table 37

Number of opposite- and same-sex partners in last year, by age and sex

Aged 16-74

2010-2012

| Number of opposite- and same-sex partners | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-----------|-----------|-----------|-----------|-----------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | | | | | | | | |
| 0 | 23 | 8 | 6 | 11 | 23 | 40 | 12 | 16 |
| 1 | 43 | 72 | 82 | 77 | 68 | 56 | 67 | 68 |
| 2 | 15 | 8 | 6 | 6 | 4 | 2 | 9 | 7 |
| 3-4 | 11 | 7 | 4 | 3 | 2 | 1 | 7 | 5 |
| 5+ | 8 | 5 | 2 | 2 | 3 | 1 | 5 | 4 |
| Mean (SD) | 1.9 (3.3) | 1.7 (3.5) | 1.3 (2.9) | 1.2 (1.6) | 1.0 (1.4) | 0.7 (0.8) | 1.6 (3.2) | 1.4 (2.6) |
| Median (IQR) | 1 (1-2) | 1 (1-1) | 1 (1-1) | 1 (1-1) | 1 (1-1) | 1 (0-1) | 1 (1-1) | 1 (1-1) |
| Women | | | | | | | | |
| 0 | 22 | 7 | 8 | 14 | 36 | 58 | 12 | 21 |
| 1 | 50 | 80 | 84 | 81 | 63 | 41 | 72 | 69 |
| 2 | 12 | 6 | 5 | 4 | 1 | <1 | 8 | 5 |
| 3-4 | 9 | 5 | 2 | 1 | <1 | <1 | 5 | 3 |
| 5+ | 7 | 3 | 1 | <1 | <1 | - | 3 | 2 |
| Mean (SD) | 1.6 (2.3) | 1.3 (1.3) | 1.3 (5.5) | 1.0 (0.7) | 0.7 (0.6) | 0.4 (0.5) | 1.4 (3.6) | 1.1 (2.7) |
| Median (IQR) | 1 (1-2) | 1 (1-1) | 1 (1-1) | 1 (1-1) | 1 (0-1) | 0 (0-1) | 1 (1-1) | 1 (1-1) |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1696 | 1488 | 785 | 758 | 710 | 603 | 3969 | 6040 |
| <i>Women</i> | 2101 | 2415 | 1169 | 1073 | 979 | 800 | 5685 | 8537 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1214 | 1343 | 1384 | 1351 | 1097 | 780 | 3942 | 7170 |
| <i>Women</i> | 1184 | 1341 | 1401 | 1379 | 1171 | 853 | 3926 | 7329 |

Table 38

Number of new opposite- and same-sex partners in last year, by age and sex

Aged 16-74

2010-2012

| Number of opposite- and same-sex partners | Age at interview | | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-----------|-----------|-----------|-----------|-----------|-----------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | | |
| | % | % | % | % | % | % | | | |
| Men | | | | | | | | | |
| 0 | 53 | 72 | 86 | 87 | 89 | 94 | 71 | 79 | |
| 1 | 27 | 16 | 8 | 7 | 7 | 4 | 16 | 12 | |
| 2+ | 21 | 12 | 6 | 6 | 4 | 1 | 13 | 9 | |
| Mean (SD) | 1.1 (2.3) | 0.7 (2.4) | 0.4 (2.9) | 0.3 (1.1) | 0.2 (0.8) | 0.1 (0.5) | 0.7 (2.6) | 0.5 (2.0) | |
| Median (IQR) | 0 (0-1) | 0 (0-1) | 0 (0-0) | 0 (0-0) | 0 (0-0) | 0 (0-0) | 0 (0-1) | 0 (0-0) | |
| Women | | | | | | | | | |
| 0 | 61 | 80 | 88 | 91 | 96 | 98 | 77 | 85 | |
| 1 | 22 | 14 | 8 | 8 | 4 | 2 | 14 | 10 | |
| 2+ | 17 | 6 | 3 | 2 | <1 | <1 | 8 | 5 | |
| Mean (SD) | 0.8 (1.8) | 0.4 (1.1) | 0.4 (5.0) | 0.1 (0.6) | 0.1 (0.3) | 0.0 (0.2) | 0.5 (3.2) | 0.3 (2.4) | |
| Median (IQR) | 0 (0-1) | 0 (0-0) | 0 (0-0) | 0 (0-0) | 0 (0-0) | 0 (0-0) | 0 (0-0) | 0 (0-0) | |
| <i>Unweighted bases</i> | | | | | | | | | |
| <i>Men</i> | 1695 | 1486 | 783 | 757 | 709 | 602 | 3964 | 6032 | |
| <i>Women</i> | 2102 | 2412 | 1167 | 1073 | 979 | 799 | 5681 | 8532 | |
| <i>Weighted bases</i> | | | | | | | | | |
| <i>Men</i> | 1214 | 1341 | 1381 | 1349 | 1095 | 778 | 3936 | 7158 | |
| <i>Women</i> | 1185 | 1339 | 1398 | 1378 | 1171 | 852 | 3922 | 7322 | |

Table 39

Number of occasions of sex with opposite- and same-sex partners in last four weeks, by age and sex

Aged 16-74, with at least one opposite- or same-sex partner in the last year

2010-2012

| Number of occasions of sex | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|----------------------------|------------------|-----------|-----------|-----------|-----------|-----------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| 0 | 25 | 15 | 16 | 17 | 26 | 38 | 18 | 20 |
| 1 | 10 | 10 | 12 | 13 | 16 | 16 | 11 | 12 |
| 2 | 10 | 12 | 15 | 18 | 17 | 18 | 13 | 15 |
| 3 | 8 | 11 | 12 | 11 | 8 | 7 | 11 | 10 |
| 4 | 9 | 10 | 12 | 11 | 10 | 8 | 10 | 10 |
| 5-8 | 17 | 21 | 20 | 20 | 15 | 9 | 20 | 18 |
| 9+ | 20 | 21 | 13 | 11 | 8 | 4 | 18 | 14 |
| Mean (SD) | 4.0 (6.7) | 5.1 (6.0) | 4.0 (4.3) | 3.6 (4.3) | 2.6 (4.4) | 1.4 (2.9) | 4.3 (5.8) | 3.6 (5.2) |
| Median (IQR) | 1 (0-5) | 3 (1-8) | 3 (1-6) | 2 (0-5) | 1 (0-4) | 0 (0-2) | 3 (0-6) | 2 (0-5) |
| Women | | | | | | | | |
| 0 | 20 | 15 | 19 | 23 | 35 | 49 | 18 | 23 |
| 1 | 9 | 11 | 12 | 14 | 14 | 19 | 11 | 12 |
| 2 | 11 | 12 | 14 | 15 | 13 | 14 | 13 | 13 |
| 3 | 10 | 11 | 13 | 12 | 9 | 6 | 11 | 11 |
| 4 | 7 | 10 | 12 | 10 | 11 | 6 | 10 | 10 |
| 5-8 | 21 | 23 | 20 | 18 | 13 | 5 | 21 | 18 |
| 9+ | 23 | 17 | 10 | 9 | 5 | 1 | 16 | 12 |
| Mean (SD) | 4.3 (6.1) | 4.6 (5.1) | 3.6 (4.4) | 3.0 (4.1) | 1.6 (3.0) | 0.6 (1.6) | 4.2 (5.2) | 3.1 (4.6) |
| Median (IQR) | 2 (0-6) | 3 (1-7) | 3 (0-5) | 2 (0-4) | 0 (0-2) | 0 (0-0) | 3 (0-6) | 2 (0-4) |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1257 | 1332 | 706 | 620 | 487 | 314 | 3295 | 4716 |
| <i>Women</i> | 1538 | 2084 | 994 | 814 | 560 | 275 | 4616 | 6265 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 921 | 1200 | 1279 | 1166 | 819 | 452 | 3400 | 5838 |
| <i>Women</i> | 854 | 1166 | 1224 | 1120 | 745 | 349 | 3244 | 5459 |

Table 40

Used internet to find a sexual partner in the last year, by age and sex

Aged 16-74, with at least one sexual partner during lifetime

2010-2012

| Used the internet to find partner | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|-----------------------------------|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | 8 | 8 | 6 | 4 | 3 | 2 | 7 | 5 |
| Women | 3 | 4 | 3 | 2 | 2 | 1 | 3 | 2 |
| <i>Unweighted bases</i> | | | | | | | | |
| Men | 1375 | 1455 | 788 | 760 | 713 | 607 | 3618 | 5698 |
| Women | 1739 | 2393 | 1182 | 1088 | 984 | 812 | 5314 | 8198 |
| <i>Weighted bases</i> | | | | | | | | |
| Men | 1003 | 1302 | 1392 | 1359 | 1116 | 785 | 3697 | 6956 |
| Women | 967 | 1321 | 1415 | 1403 | 1185 | 868 | 3704 | 7160 |

Table 41

Had unsafe sex in last year^a, by age and sex

Aged 16-74

2010-2012

| Had unsafe sex ^a | Age at interview | | | | | | Total aged 16- 44 % | Total aged 16- 74 % |
|-----------------------------|------------------|-------|-------|-------|-------|-------|------------------------------|------------------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | 6 | 5 | 6 | 7 | 5 | 2 | 6 | 6 |
| Women | 8 | 5 | 5 | 3 | 1 | 1 | 6 | 4 |
| <i>Unweighted bases</i> | | | | | | | | |
| Men | 1718 | 1499 | 789 | 767 | 726 | 612 | 4006 | 6111 |
| Women | 2114 | 2439 | 1181 | 1079 | 986 | 813 | 5734 | 8612 |
| <i>Weighted bases</i> | | | | | | | | |
| Men | 1230 | 1353 | 1393 | 1365 | 1123 | 790 | 3977 | 7255 |
| Women | 1192 | 1353 | 1413 | 1385 | 1179 | 865 | 3958 | 7387 |

a Unsafe sex is defined as having two or more new partners and no reported condom use in the last year.

Table 42

Number of opposite- and same-sex partners without a condom in last year, by age and sex

Aged 16-74

2010-2012

| Number of opposite and same sex partners | Age at interview | | | | | | Total aged 16-44 % | Total aged 16-74 % |
|--|------------------|-----------|-----------|-----------|-----------|-----------|--------------------|--------------------|
| | 16-24 % | 25-34 % | 35-44 % | 45-54 % | 55-64 % | 65-74 % | | |
| Men | | | | | | | | |
| 0 | 45 | 22 | 17 | 20 | 31 | 49 | 27 | 29 |
| 1 | 38 | 68 | 76 | 74 | 65 | 51 | 62 | 63 |
| 2+ | 16 | 10 | 6 | 6 | 4 | 1 | 11 | 8 |
| Mean (SD) | 0.9 (1.7) | 1.0 (1.4) | 1.0 (0.9) | 0.9 (0.9) | 0.8 (0.7) | 0.5 (0.5) | 1.0 (1.4) | 0.9 (1.1) |
| Median (IQR) | 1 (0-1) | 1 (1-1) | 1 (1-1) | 1 (1-1) | 1 (0-1) | 1 (0-1) | 1 (0-1) | 1 (0-1) |
| Women | | | | | | | | |
| 0 | 37 | 18 | 19 | 25 | 44 | 67 | 24 | 33 |
| 1 | 48 | 74 | 77 | 73 | 55 | 33 | 67 | 62 |
| 2+ | 14 | 7 | 4 | 2 | 1 | <1 | 8 | 5 |
| Mean (SD) | 0.9 (1.3) | 0.9 (0.7) | 0.9 (0.6) | 0.8 (0.6) | 0.6 (0.5) | 0.4 (0.6) | 0.9 (1.2) | 0.8 (0.8) |
| Median (IQR) | 1 (0-1) | 1 (1-1) | 1 (1-1) | 1 (1-1) | 1 (0-1) | 0 (0-1) | 1 (0-1) | 1 (0-1) |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1678 | 1474 | 784 | 757 | 710 | 606 | 3936 | 6009 |
| <i>Women</i> | 2090 | 2414 | 1172 | 1076 | 987 | 807 | 5676 | 8546 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1204 | 1332 | 1381 | 1349 | 1101 | 781 | 3917 | 7149 |
| <i>Women</i> | 1180 | 1340 | 1404 | 1380 | 1178 | 859 | 3924 | 7341 |

Table 43

New sexual partner while outside the UK in the last five years, by age and sex

Aged 16-74

2010-2012

| New sexual partner while outside the UK | Age at interview | | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-------|-------|-------|-------|-------|------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | | |
| | % | % | % | % | % | % | | | |
| Men | 14 | 14 | 8 | 6 | 3 | 3 | 12 | 8 | |
| Women | 10 | 9 | 2 | 2 | 1 | 1 | 7 | 4 | |
| <i>Unweighted bases</i> | | | | | | | | | |
| Men | 1711 | 1493 | 789 | 765 | 717 | 608 | 3993 | 6083 | |
| Women | 2113 | 2423 | 1182 | 1078 | 990 | 805 | 5718 | 8591 | |
| <i>Weighted bases</i> | | | | | | | | | |
| Men | 1225 | 1346 | 1391 | 1363 | 1108 | 786 | 3962 | 7219 | |
| Women | 1192 | 1344 | 1415 | 1384 | 1184 | 859 | 3951 | 7378 | |

Table 44

New sexual partner from outside the UK while within the UK in the last five years, by age and sex

Aged 16-74

2010-2012

| New sexual partner from outside the UK | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|--|------------------|-------------|-------------|-------------|-------------|------------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | 8 | 8 | 3 | 1 | 2 | 1 | 6 | 4 |
| Women | 5 | 4 | 2 | 1 | 1 | <1 | 3 | 2 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | <i>1711</i> | <i>1494</i> | <i>789</i> | <i>765</i> | <i>717</i> | <i>607</i> | <i>3994</i> | <i>6083</i> |
| <i>Women</i> | <i>2112</i> | <i>2423</i> | <i>1180</i> | <i>1078</i> | <i>990</i> | <i>804</i> | <i>5715</i> | <i>8587</i> |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | <i>1225</i> | <i>1347</i> | <i>1391</i> | <i>1363</i> | <i>1108</i> | <i>786</i> | <i>3963</i> | <i>7219</i> |
| <i>Women</i> | <i>1191</i> | <i>1344</i> | <i>1413</i> | <i>1384</i> | <i>1184</i> | <i>858</i> | <i>3948</i> | <i>7374</i> |

Table 45

New sexual partner from outside the UK in the last five years^a, by age and sex

Aged 16-74

2010-2012

| New sexual partner from outside the UK ^a | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | 16 | 15 | 8 | 5 | 4 | 2 | 13 | 9 |
| Women | 11 | 8 | 3 | 2 | 2 | 1 | 7 | 5 |
| <i>Unweighted bases</i> | | | | | | | | |
| Men | 1357 | 1437 | 763 | 699 | 598 | 411 | 3557 | 5265 |
| Women | 1723 | 2356 | 1139 | 970 | 695 | 388 | 5218 | 7271 |
| <i>Weighted bases</i> | | | | | | | | |
| Men | 991 | 1288 | 1357 | 1286 | 965 | 568 | 3636 | 6454 |
| Women | 960 | 1303 | 1378 | 1284 | 893 | 470 | 3640 | 6287 |

a A new partner within or outwith the UK.

Table 46

Paid for sex ever, in the last five years, in the last year^a, by age and sex

| <i>Aged 16-74</i> | | <i>2010-2012</i> | | | | | | | |
|-------------------------------------|-------------------------|------------------|-------|-------|-------|-------|------------------------------|------------------------------|--|
| Paid for sex^a | Age at interview | | | | | | Total aged 16- 44 % | Total aged 16- 74 % | |
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | | |
| | % | % | % | % | % | % | % | % | |
| Men | | | | | | | | | |
| Ever paid for sex | 4 | 13 | 13 | 13 | 14 | 9 | 10 | 11 | |
| Paid for sex in the last five years | 3 | 5 | 4 | 4 | 4 | 1 | 4 | 4 | |
| Paid for sex in the last year | 1 | 1 | 1 | 1 | 2 | <1 | 1 | 1 | |
| Women | | | | | | | | | |
| Ever paid for sex | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | |
| Paid for sex in the last five years | - | <1 | <1 | <1 | - | <1 | <1 | <1 | |
| Paid for sex in the last year | - | - | - | <1 | - | <1 | - | <1 | |
| <i>Unweighted bases</i> | | | | | | | | | |
| <i>Men</i> | 1713 | 1495 | 793 | 767 | 728 | 612 | 4001 | 6108 | |
| <i>Women</i> | 2123 | 2435 | 1188 | 1091 | 997 | 817 | 5746 | 8651 | |
| <i>Weighted bases</i> | | | | | | | | | |
| <i>Men</i> | 1226 | 1346 | 1401 | 1367 | 1134 | 790 | 3973 | 7265 | |
| <i>Women</i> | 1196 | 1351 | 1422 | 1401 | 1192 | 871 | 3969 | 7433 | |

a Includes sex with anyone of the opposite- or same-sex for which money was paid.

Table 47

Experience of non-volitional sex^a, by age and sex

Aged 16-74

2010-2012

| Non-volitional sex ^a | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|--|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | | | | | | | | |
| Experience of attempted non-volitional sex | 4 | 4 | 4 | 6 | 6 | 4 | 4 | 5 |
| Experience of completed non-volitional sex | 1 | 2 | 1 | 2 | 2 | <1 | 1 | 1 |
| Women | | | | | | | | |
| Experience of attempted non-volitional sex | 16 | 19 | 22 | 23 | 20 | 15 | 19 | 19 |
| Experience of completed non-volitional sex | 7 | 10 | 12 | 12 | 10 | 5 | 10 | 10 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1688 | 1474 | 788 | 764 | 725 | 610 | 3950 | 6049 |
| <i>Women</i> | 2078 | 2382 | 1171 | 1079 | 987 | 814 | 5631 | 8511 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1208 | 1328 | 1394 | 1360 | 1120 | 786 | 3930 | 7196 |
| <i>Women</i> | 1172 | 1320 | 1406 | 1387 | 1179 | 867 | 3899 | 7332 |

^a *Non-volitional sex was measured by the questions 'Has anyone tried to make you have sex with them against your will?' and 'Has anyone actually made you have sex with them against your will?'.*

Table 48**Any natural children^a, by age and sex***Aged 16-74**2010-2012*

| Any natural children ^a | Age at interview | | | | | | Total aged 16- 44 % | Total aged 16- 74 % |
|-----------------------------------|------------------|-------|-------|-------|-------|-------|------------------------------|------------------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| Men | 7 | 35 | 72 | 73 | 74 | 82 | 39 | 56 |
| Women | 18 | 55 | 83 | 87 | 84 | 89 | 54 | 69 |
| <i>Unweighted bases</i> | | | | | | | | |
| Men | 1713 | 1498 | 793 | 767 | 727 | 606 | 4004 | 7252 |
| Women | 1227 | 1350 | 1401 | 1362 | 1127 | 785 | 3978 | 6104 |
| <i>Weighted bases</i> | | | | | | | | |
| Men | 2124 | 2436 | 1186 | 1092 | 998 | 820 | 5746 | 8656 |
| Women | 1198 | 1351 | 1421 | 1404 | 1193 | 873 | 3970 | 7441 |

a Excludes stillborn children.

Table 49

Had a child before the age of 18, by age and sex

Aged 16-74

2010-2012

| Had a child before the age of 18 | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|----------------------------------|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 1 |
| Women | 5 | 5 | 3 | 4 | 5 | 3 | 4 | 4 |
| <i>Unweighted bases</i> | | | | | | | | |
| Men | 1232 | 1482 | 786 | 760 | 709 | 593 | 3500 | 5562 |
| Women | 1562 | 2411 | 1178 | 1089 | 987 | 814 | 5151 | 8041 |
| <i>Weighted bases</i> | | | | | | | | |
| Men | 936 | 1336 | 1389 | 1351 | 1111 | 770 | 3661 | 6894 |
| Women | 903 | 1334 | 1411 | 1400 | 1184 | 869 | 3649 | 7101 |

Table 50

Number of pregnancies (women), by age

Women aged 16-74

2010-2012

| Number of pregnancies | Age at interview | | | | | | Total aged 16- 44 % | Total aged 16- 74 % |
|------------------------------|------------------|-------------|-------------|-------------|-------------|------------|------------------------------|------------------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Number of pregnancies | | | | | | | | |
| 0 | 73 | 34 | 12 | 9 | 13 | 9 | 38 | 25 |
| 1 | 15 | 20 | 14 | 11 | 10 | 9 | 16 | 14 |
| 2 | 7 | 21 | 33 | 30 | 30 | 34 | 21 | 26 |
| 3 | 3 | 12 | 18 | 22 | 25 | 24 | 11 | 17 |
| 4 | 1 | 7 | 12 | 16 | 12 | 12 | 7 | 10 |
| 5 | <1 | 3 | 6 | 7 | 6 | 8 | 3 | 5 |
| 6-9 | <1 | 3 | 3 | 5 | 3 | 4 | 2 | 3 |
| 10+ | <1 | <1 | 1 | <1 | <1 | <1 | <1 | <1 |
| Mean (SD) | 0.5 (1.0) | 1.6 (1.7) | 2.4 (1.7) | 2.7 (1.7) | 2.5 (1.6) | 2.7 (1.6) | 1.6 (1.7) | 2.0 (1.8) |
| Median (IQR) | 0 (0-1) | 1 (0-2) | 2 (1.3) | 2 (2-4) | 2 (2-3) | 2 (2-3) | 1 (0-2) | 2 (0-3) |
| Ever been pregnant | 27 | 66 | 88 | 91 | 87 | 91 | 62 | 75 |
| <i>Unweighted bases</i> | <i>2124</i> | <i>2439</i> | <i>1186</i> | <i>1093</i> | <i>999</i> | <i>820</i> | <i>5749</i> | <i>8661</i> |
| <i>Weighted bases</i> | <i>1198</i> | <i>1353</i> | <i>1421</i> | <i>1405</i> | <i>1195</i> | <i>873</i> | <i>3972</i> | <i>7445</i> |

Table 51

Pregnancy outcomes (women), by age

Women aged 16-74

2010-2012

| Pregnancy outcomes | Age at interview | | | | | | Total aged 16- 44 % | Total aged 16- 74 % |
|-------------------------------------|------------------|-------------|-------------|-------------|-------------|------------|------------------------------|------------------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Ever had a miscarriage | 6 | 17 | 25 | 27 | 20 | 19 | 17 | 19 |
| Ever had a still birth | <1 | 1 | 1 | 2 | 4 | 3 | 1 | 2 |
| Ever had an abortion | 8 | 16 | 18 | 17 | 8 | 8 | 14 | 13 |
| Had an abortion in last five years | 6 | 6 | 2 | <1 | - | - | 4 | 2 |
| <i>Unweighted bases^a</i> | <i>2124</i> | <i>2431</i> | <i>1182</i> | <i>1087</i> | <i>990</i> | <i>816</i> | <i>5737</i> | <i>8630</i> |
| <i>Weighted bases^a</i> | <i>1198</i> | <i>1349</i> | <i>1417</i> | <i>1397</i> | <i>1182</i> | <i>870</i> | <i>3963</i> | <i>7413</i> |

a Bases shown for miscarriage. Other bases are of a similar magnitude.

Table 52

Whether most recent pregnancy was planned (women)^a, by age

Women aged 16-44 who were pregnant in the last year

2010-2012

| Whether most recent pregnancy was planned ^a | Age at interview | | | Total aged 16-44 |
|--|------------------|-------|-------|------------------|
| | 16-24 | 25-34 | 35-44 | |
| | % | % | % | % |
| Unplanned | 22 | 10 | 14 | 14 |
| Ambivalent | 45 | 21 | 27 | 29 |
| Planned | 32 | 70 | 59 | 57 |
| <i>Unweighted bases</i> | 269 | 473 | 93 | 835 |
| <i>Weighted bases</i> | 140 | 266 | 112 | 518 |

a Measured using the London Measure of Unplanned Pregnancy (<http://www.lmup.com/>)

Table 53

Attitude to having children (women), by age^a

Women aged 16-49, not currently pregnant

2010-2012

| Attitude to having more children | Age at interview | | | | Total aged 16-49 |
|---|------------------|-------|-------|-------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-49 | |
| | % | % | % | % | % |
| Would definitely like (more) children, and currently trying | 5 | 11 | 7 | 2 | 7 |
| Would definitely like (more) children, but not currently trying | 57 | 41 | 11 | 5 | 30 |
| Might like (more) children, but not sure | 31 | 25 | 14 | 2 | 19 |
| Would definitely not like (more) children | 4 | 18 | 60 | 82 | 38 |
| Don't know | | | | | |
| <i>Unweighted bases</i> | 1934 | 2268 | 1156 | 589 | 5947 |
| <i>Weighted bases</i> | 1083 | 1251 | 1385 | 759 | 4478 |

^a Women aged 50 and over were not asked whether they would like to have more children.

Table 54**Attitude to having children (men), by age***Men aged 16-74**2010-2012*

| Attitude to having more children | Age at interview | | | | | | Total aged 16- 44 % | Total aged 16- 74 % |
|--|------------------|-------------|-------------|-------------|-------------|------------|------------------------------|------------------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Would definitely like (more) children, and currently trying | 4 | 15 | 12 | 5 | 2 | 2 | 11 | 7 |
| Would definitely like (more) children, but not currently trying | 54 | 49 | 17 | 8 | 6 | 4 | 39 | 24 |
| Might like (more) children, but not sure | 36 | 23 | 19 | 8 | 2 | 1 | 25 | 16 |
| Would definitely not like (more) children | 3 | 9 | 43 | 67 | 79 | 85 | 20 | 45 |
| Don't know | 3 | 4 | 8 | 12 | 10 | 7 | 5 | 8 |
| <i>Unweighted bases</i> | <i>1602</i> | <i>1480</i> | <i>792</i> | <i>762</i> | <i>717</i> | <i>607</i> | <i>3874</i> | <i>5960</i> |
| <i>Weighted bases</i> | <i>1150</i> | <i>1334</i> | <i>1399</i> | <i>1355</i> | <i>1122</i> | <i>783</i> | <i>3883</i> | <i>7144</i> |

Table 55

Ever had a period of trying to get pregnant that lasted for 12 or more months, by age and sex

Aged 16-74

2010-2012

| Ever tried to get pregnant for 12+ months | Age at interview | | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-------|-------|-------|-------|-------|------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | % | | |
| Men | 4 | 8 | 15 | 15 | 8 | 8 | 10 | 10 | |
| Women | 5 | 12 | 18 | 13 | 13 | 11 | 12 | 12 | |
| <i>Unweighted bases</i> | | | | | | | | | |
| Men | 1325 | 1421 | 780 | 741 | 697 | 589 | 3526 | 5553 | |
| Women | 1695 | 2366 | 1173 | 1062 | 972 | 798 | 5234 | 8066 | |
| <i>Weighted bases</i> | | | | | | | | | |
| Men | 971 | 1274 | 1377 | 1328 | 1094 | 767 | 3623 | 6812 | |
| Women | 944 | 1306 | 1403 | 1374 | 1170 | 854 | 3654 | 7052 | |

Table 56

Contraception method used in last 12 months, by age and sex

Aged 16-74, with at least one
opposite-sex partner in lifetime

2010-2012

| Contraception method used in last 12 months ^a | Age at interview | | | | | | Total aged 16- 44 | Total aged 16- 74 |
|--|------------------|-------|-------|-------|-------|-------|-------------------------|-------------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| Male condom | 72 | 51 | 32 | 15 | 11 | 3 | 50 | 31 |
| Pill | 47 | 41 | 25 | 11 | 4 | 1 | 37 | 22 |
| Male sterilisation | - | 1 | 11 | 19 | 18 | 12 | 4 | 10 |
| Female sterilisation | <1 | 1 | 4 | 8 | 6 | 3 | 2 | 4 |
| Morning after pill | 7 | 4 | 1 | 1 | <1 | - | 4 | 2 |
| IUD | 2 | 5 | 7 | 7 | 3 | <1 | 5 | 4 |
| Mirena | <1 | <1 | 1 | 1 | <1 | - | <1 | <1 |
| Injections | 4 | 4 | 1 | 1 | - | <1 | 3 | 2 |
| Rhythm method | <1 | 1 | 1 | 1 | <1 | <1 | 1 | 1 |
| Withdrawal | 5 | 7 | 7 | 5 | 3 | 1 | 6 | 5 |
| Implants | 9 | 6 | 2 | 1 | - | - | 5 | 3 |
| Other contraception ^b | 1 | 1 | 1 | 1 | 1 | <1 | 1 | 1 |
| None | 7 | 15 | 21 | 31 | 40 | 46 | 15 | 26 |
| None used; no opposite-sex partners in the last year ^c | 3 | 3 | 3 | 9 | 18 | 33 | 3 | 10 |
| Women | | | | | | | | |
| Male condom | 55 | 38 | 23 | 11 | 3 | 1 | 36 | 21 |
| Pill | 52 | 40 | 18 | 6 | 1 | <1 | 35 | 19 |
| Male sterilisation | <1 | 3 | 11 | 17 | 8 | 5 | 5 | 8 |
| Female sterilisation | - | 1 | 7 | 14 | 12 | 8 | 3 | 8 |
| Morning after pill | 7 | 3 | 1 | <1 | - | - | 3 | 2 |
| IUD | 2 | 6 | 8 | 5 | 2 | - | 6 | 4 |
| Mirena | 1 | 2 | 5 | 5 | <1 | - | 3 | 3 |
| Injections | 7 | 5 | 3 | <1 | <1 | - | 5 | 2 |
| Rhythm method | 1 | 1 | 2 | <1 | - | - | 2 | 1 |
| Withdrawal | 3 | 5 | 4 | 1 | <1 | - | 4 | 2 |
| Implants | 12 | 6 | 3 | 1 | - | - | 6 | 3 |
| Other contraception ^b | 1 | 1 | <1 | <1 | <1 | <1 | 1 | 1 |
| None | 9 | 15 | 20 | 31 | 44 | 38 | 15 | 26 |
| None used; no opposite-sex partners in the last year ^c | 2 | 4 | 6 | 11 | 29 | 49 | 4 | 15 |
| <i>Unweighted bases</i> | | | | | | | | |
| Men | 1333 | 1435 | 774 | 751 | 729 | 635 | 3542 | 5657 |
| Women | 1686 | 2406 | 1184 | 1090 | 998 | 834 | 5276 | 8198 |
| <i>Weighted bases</i> | | | | | | | | |
| Men | 976 | 1292 | 1368 | 1345 | 1142 | 821 | 3637 | 6946 |
| Women | 940 | 1331 | 1412 | 1402 | 1202 | 896 | 3684 | 7185 |

a Respondents could give more than one answer.

b 'Other contraception' includes contraceptive patches, cap or diaphragm, emergency IUD, and foams, gels, sprays or pessaries.

c Estimates based on respondents to the question on contraceptive use. For definitive estimates of the proportions of men and women who have had any opposite-sex partners in the last year, see Table 30.

Table 57

Attended a sexual health (GUM) clinic, by age and sex

Aged 16-74, with at least one sexual partner in lifetime

2010-2012

| Attended a sexual health (GUM) clinic | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|--|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| Ever attended a sexual health (GUM) clinic | 33 | 36 | 19 | 19 | 14 | 7 | 29 | 22 |
| Attended in the last five years | 31 | 24 | 7 | 4 | 2 | <1 | 20 | 11 |
| Women | | | | | | | | |
| Ever attended a sexual health (GUM) clinic | 47 | 39 | 21 | 15 | 11 | 5 | 34 | 23 |
| Attended in the last five years | 44 | 21 | 6 | 3 | 1 | <1 | 21 | 12 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1374 | 1448 | 783 | 752 | 699 | 586 | 3605 | 5642 |
| <i>Women</i> | 1734 | 2379 | 1175 | 1066 | 976 | 794 | 5288 | 8124 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1002 | 1298 | 1380 | 1346 | 1098 | 764 | 3680 | 6888 |
| <i>Women</i> | 965 | 1314 | 1405 | 1376 | 1176 | 850 | 3684 | 7086 |

Table 58

Ever diagnosed with any sexually transmitted infection^a, by age and sex

Aged 16-74, with at least one sexual partner in lifetime

2010-2012

| Diagnosed with any STI ^a | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|-------------------------------------|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | 9 | 18 | 14 | 16 | 11 | 8 | 14 | 13 |
| Women | 19 | 22 | 16 | 13 | 10 | 5 | 19 | 14 |
| <i>Unweighted bases</i> | | | | | | | | |
| Men | 1374 | 1445 | 782 | 749 | 698 | 584 | 3601 | 5632 |
| Women | 1731 | 2377 | 1174 | 1066 | 976 | 793 | 5282 | 8117 |
| <i>Weighted bases</i> | | | | | | | | |
| Men | 1002 | 1296 | 1379 | 1343 | 1095 | 761 | 3677 | 6876 |
| Women | 964 | 1312 | 1404 | 1376 | 1176 | 849 | 3680 | 7081 |

a Estimates for women exclude vaginal thrush.

Table 59

Ever diagnosed with a sexually transmitted infection^a, by age and sex

Aged 16-74, with at least one sexual partner in lifetime

2010-2012

| Diagnosed with STI ^a | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|--|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | | | | | | | | |
| Chlamydia | 5.3 | 9.7 | 3.5 | 2.5 | 0.4 | 0.3 | 6.2 | 3.9 |
| Gonorrhoea | 0.8 | 1.6 | 0.7 | 2.3 | 2.5 | 2.3 | 1.1 | 1.7 |
| Genital warts | 1.2 | 4.7 | 4.9 | 3.9 | 1.1 | 0.7 | 3.8 | 3.0 |
| Syphilis | 0.1 | 0.4 | 0.3 | 0.5 | 0.3 | 0.3 | 0.3 | 0.3 |
| Trichomonas vaginalis | 0.1 | 0.1 | 0.1 | - | - | - | 0.1 | <0.1 |
| Genital herpes | 0.1 | 2.0 | 0.7 | 1.4 | 0.6 | 1.2 | 1.0 | 1.0 |
| Pubic lice or crabs | 0.5 | 1.3 | 2.3 | 3.3 | 2.7 | 1.5 | 1.5 | 2.0 |
| Hepatitis B | - | 0.3 | 0.3 | 0.5 | 0.8 | 1.1 | 0.2 | 0.5 |
| NSU/NGU ^{b,c} | 0.9 | 2.2 | 2.2 | 4.1 | 3.9 | 1.4 | 1.8 | 2.5 |
| Epididymitis ^c | <0.1 | 0.1 | 0.7 | 0.4 | 0.2 | 0.2 | 0.3 | 0.3 |
| Diagnosis, can't recall what | 1.1 | 1.2 | 0.9 | 0.5 | 0.9 | 0.4 | 1.0 | 0.8 |
| Women | | | | | | | | |
| Chlamydia | 12.3 | 10.8 | 4.8 | 2.8 | 1.2 | 0.3 | 8.9 | 5.4 |
| Gonorrhoea | 1.2 | 0.8 | 0.5 | 1.2 | 1.9 | 0.8 | 0.8 | 1.0 |
| Genital warts | 3.8 | 4.8 | 4.9 | 3.7 | 2.3 | 0.3 | 4.6 | 3.5 |
| Syphilis | - | <0.1 | - | 0.1 | 0.2 | - | <0.1 | 0.1 |
| Trichomonas vaginalis | 0.1 | 0.3 | 0.3 | 0.8 | 0.8 | 0.7 | 0.2 | 0.5 |
| Genital herpes | 1.5 | 1.9 | 1.8 | 1.5 | 1.0 | 0.4 | 1.8 | 1.4 |
| Pubic lice or crabs | 0.2 | 0.5 | 1.3 | 1.5 | 1.5 | 0.9 | 0.7 | 1.0 |
| Hepatitis B | 0.2 | 0.3 | 0.3 | 0.1 | 0.5 | 0.3 | 0.3 | 0.3 |
| Pelvic inflammatory disease ^d | 0.7 | 1.5 | 1.3 | 1.2 | 1.4 | - | 1.2 | 1.1 |
| Vaginal thrush ^d | 19.1 | 34.3 | 40.6 | 38.2 | 31.6 | 21.8 | 32.7 | 32.3 |
| Bacterial vaginosis ^d | 4.1 | 6.7 | 3.6 | 1.8 | 0.6 | 0.2 | 4.8 | 3.0 |
| Diagnosis, can't recall what | 0.2 | 0.7 | 0.5 | 0.8 | 0.6 | 0.7 | 0.5 | 0.6 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1374 | 1445 | 782 | 749 | 698 | 584 | 3601 | 5632 |
| <i>Women</i> | 1731 | 2377 | 1174 | 1066 | 976 | 793 | 5282 | 8117 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1002 | 1296 | 1379 | 1343 | 1095 | 761 | 3677 | 6876 |
| <i>Women</i> | 964 | 1312 | 1404 | 1376 | 1176 | 849 | 5282 | 7081 |

a Estimates shown to one decimal place due to generally low prevalence rates.

b Non-specific urethritis, non-gonococcal urethritis.

c Women were not asked about NSU/NGU and epididymitis.

d Men were not asked about pelvic inflammatory disease, vaginal thrush and bacterial vaginosis.

Table 60

Diagnosed with a sexually transmitted infection in the last five years^a, by age and sex

Aged 16-74, with at least one sexual partner in lifetime

2010-2012

| Diagnosed with a STI ^a | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|-----------------------------------|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | | | | | | | | |
| Chlamydia | 5.0 | 5.8 | 1.7 | 0.6 | - | 0.3 | 4.0 | 2.3 |
| Gonorrhoea | 0.6 | 0.6 | 0.1 | 0.3 | - | - | 0.4 | 0.3 |
| Genital warts | 1.2 | 2.0 | 0.6 | 0.2 | 0.1 | - | 1.3 | 0.7 |
| Syphilis | 0.1 | 0.1 | 0.1 | 0.4 | - | - | 0.1 | 0.1 |
| Trichomonas vaginalis | 0.1 | 0.1 | - | - | - | - | <0.1 | <0.1 |
| Genital herpes | 0.1 | 1.1 | 0.4 | 0.1 | 0.1 | 0.4 | 0.5 | 0.4 |
| NSU/NGU ^{b,c} | 0.9 | 1.8 | 0.4 | 0.4 | 0.1 | - | 1.0 | 0.6 |
| Any of these STIs | 6.9 | 9.3 | 2.7 | 1.8 | 0.3 | 0.6 | 6.2 | 3.8 |
| Women | | | | | | | | |
| Chlamydia | 10.4 | 3.3 | 0.5 | 0.4 | 0.1 | - | 4.1 | 2.2 |
| Gonorrhoea | 0.9 | 0.2 | - | - | - | 0.1 | 0.3 | 0.2 |
| Genital warts | 3.2 | 1.6 | 0.6 | 0.1 | - | - | 1.7 | 0.9 |
| Syphilis | - | <0.1 | - | - | - | - | <0.1 | <0.1 |
| Trichomonas vaginalis | 0.1 | 0.1 | - | - | - | - | 0.1 | <0.1 |
| Genital herpes | 1.2 | 0.9 | 0.7 | 0.4 | 0.2 | 0.2 | 0.9 | 0.6 |
| Any of these STIs | 13.4 | 5.5 | 1.8 | 0.8 | 0.3 | 0.3 | 6.1 | 3.4 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1364 | 1433 | 775 | 745 | 692 | 581 | 3572 | 5590 |
| <i>Women</i> | 1727 | 2362 | 1169 | 1058 | 969 | 786 | 5258 | 8071 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 992 | 1284 | 1367 | 1336 | 1085 | 758 | 3644 | 6823 |
| <i>Women</i> | 962 | 1304 | 1397 | 1365 | 1169 | 842 | 3663 | 7039 |

a Estimates shown to one decimal place due to generally low prevalence rates.

b Non-specific urethritis, non-gonococcal urethritis.

c Women were not asked about NSU/NGU.

Table 61

Tested for HIV ever, in the last five years and in the last year^a, by age and sex

Aged 16-74, with at least one sexual partner in lifetime

2010-2012

| Tested for HIV ^a | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|-----------------------------|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| Ever | 14 | 30 | 22 | 17 | 10 | 6 | 23 | 18 |
| In the last five years | 14 | 24 | 12 | 9 | 4 | 2 | 17 | 11 |
| In the last year | 6 | 8 | 4 | 1 | 1 | <1 | 6 | 4 |
| Women | | | | | | | | |
| Ever | 28 | 43 | 33 | 16 | 5 | 2 | 35 | 22 |
| In the last five years | 29 | 36 | 18 | 5 | 2 | <1 | 28 | 15 |
| In the last year | 14 | 13 | 5 | 1 | <1 | - | 10 | 5 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1375 | 1454 | 789 | 758 | 715 | 607 | 3618 | 5698 |
| <i>Women</i> | 1739 | 2395 | 1187 | 1087 | 985 | 814 | 5321 | 8207 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1003 | 1302 | 1393 | 1356 | 1121 | 784 | 3697 | 6958 |
| <i>Women</i> | 968 | 1322 | 1422 | 1402 | 1187 | 870 | 3711 | 7170 |

^a Excludes HIV test when giving blood.

Table 62

Tested for chlamydia in the last year, by age and sex*Aged 16-44, with at least one
sexual partner in lifetime*

2010-2012

| Tested for chlamydia | Age at interview | | | Total aged 16-44 % |
|----------------------|------------------|------------|------------|--------------------------|
| | 16-24 % | 25-34 % | 35-44 % | |
| Men | 35 | 14 | 4 | 16 |
| Women | 54 | 23 | 9 | 26 |

| | | | | |
|-------------------------|------|------|------|------|
| <i>Unweighted bases</i> | | | | |
| Men | 1377 | 1444 | 783 | 3604 |
| Women | 1738 | 2375 | 1172 | 5285 |
| <i>Weighted bases</i> | | | | |
| Men | 1005 | 1294 | 1380 | 3678 |
| Women | 968 | 1312 | 1402 | 3682 |

Table 63

Most recent cervical smear (women), by age

Women aged 25-74, with at least one sexual partner in lifetime^a

2010-2012

| Most recent cervical smear | Age at interview | | | | | Total aged 25-44 | Total aged 25-74 |
|----------------------------|------------------|-------|-------|-------|-------|------------------|------------------|
| | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % |
| Less than three years ago | 74 | 76 | 77 | 61 | 27 | 75 | 68 |
| Three to five years ago | 12 | 17 | 17 | 27 | 38 | 15 | 20 |
| Five to ten years ago | 2 | 4 | 4 | 8 | 22 | 3 | 6 |
| More than ten years ago | <1 | 2 | 1 | 3 | 12 | 1 | 3 |
| Never | 11 | 2 | 1 | 1 | 1 | 6 | 4 |
| <i>Unweighted bases</i> | 2382 | 1150 | 962 | 780 | 574 | 3532 | 5848 |
| <i>Weighted bases</i> | 1315 | 1373 | 1246 | 949 | 612 | 2688 | 5495 |

^a Excludes women who have had a hysterectomy.

Table 64

Has a health condition or disability that has affected sexual activity or enjoyment in the last year, by age and sex

Aged 16-74, with at least one sexual partner in lifetime

2010-2012

| Health condition or disability that has affected sexual activity or enjoyment | Age at interview | | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-------|-------|-------|-------|-------|------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | | |
| | % | % | % | % | % | % | | | |
| Men | 6 | 11 | 14 | 18 | 25 | 29 | 11 | 17 | |
| Women | 13 | 19 | 17 | 20 | 19 | 15 | 16 | 17 | |
| <i>Unweighted bases</i> | | | | | | | | | |
| Men | 1362 | 1445 | 782 | 749 | 698 | 585 | 3589 | 5621 | |
| Women | 1716 | 2376 | 1174 | 1064 | 975 | 792 | 5266 | 8097 | |
| <i>Weighted bases</i> | | | | | | | | | |
| Men | 995 | 1296 | 1378 | 1343 | 1095 | 762 | 3670 | 6870 | |
| Women | 957 | 1312 | 1404 | 1374 | 1175 | 848 | 3673 | 7071 | |

Table 65

Has taken medication that has affected sexual activity or enjoyment in the last year, by age and sex

Aged 16-74, with at least one sexual partner in lifetime

2010-2012

| Medication that has affected sexual activity or enjoyment | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | 3 | 4 | 6 | 9 | 16 | 19 | 4 | 9 |
| Women | 7 | 8 | 7 | 9 | 7 | 5 | 7 | 7 |
| <i>Unweighted bases</i> | | | | | | | | |
| Men | 1362 | 1445 | 782 | 748 | 698 | 581 | 3589 | 5616 |
| Women | 1716 | 2377 | 1174 | 1065 | 976 | 789 | 5267 | 8097 |
| <i>Weighted bases</i> | | | | | | | | |
| Men | 995 | 1296 | 1378 | 1340 | 1095 | 759 | 3670 | 6863 |
| Women | 957 | 1313 | 1404 | 1376 | 1176 | 844 | 3674 | 7070 |

Table 66**Circumcised (men), by age***Men aged 16-74**2010-2012*

| Circumcised | Age at interview | | | | | | Total aged 16- 44 % | Total aged 16- 74 % |
|-------------------------|-------------------------|-------------|-------------|-------------|-------------|------------|------------------------------|------------------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| Circumcised | 14 | 20 | 19 | 20 | 23 | 34 | 18 | 21 |
| <i>Unweighted bases</i> | <i>1670</i> | <i>1480</i> | <i>789</i> | <i>776</i> | <i>755</i> | <i>647</i> | <i>3939</i> | <i>6117</i> |
| <i>Weighted bases</i> | <i>1195</i> | <i>1329</i> | <i>1395</i> | <i>1382</i> | <i>1171</i> | <i>839</i> | <i>3919</i> | <i>7312</i> |

Table 67

Experienced sexual difficulties for three or more months in the last year, by age and sex

Aged 16-74, with at least one sexual partner in last year

2010-2012

| Experienced sexual difficulties | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|--|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| Lacked interest in having sex | 11 | 15 | 17 | 15 | 17 | 14 | 15 | 15 |
| Lacked enjoyment in having sex | 5 | 7 | 5 | 3 | 5 | 2 | 6 | 5 |
| Anxiety during sex | 6 | 6 | 6 | 4 | 6 | 4 | 6 | 5 |
| Physical pain as a result of sex | 2 | 2 | 2 | 2 | 2 | 1 | 2 | 2 |
| No excitement or arousal during sex | 3 | 4 | 3 | 2 | 3 | 3 | 4 | 3 |
| No orgasm or took a long time to reach orgasm, despite arousal | 9 | 10 | 8 | 8 | 10 | 10 | 9 | 9 |
| Reached orgasm more quickly than would have liked | 17 | 19 | 16 | 14 | 10 | 11 | 17 | 15 |
| Trouble in achieving or maintaining erections ^a | 8 | 8 | 8 | 13 | 23 | 30 | 8 | 13 |
| One or more of these problems | 36 | 40 | 40 | 40 | 48 | 54 | 39 | 42 |
| Two or more of these problems | 14 | 15 | 14 | 12 | 16 | 13 | 14 | 14 |
| Women | | | | | | | | |
| Lacked interest in having sex | 25 | 32 | 37 | 38 | 39 | 34 | 32 | 34 |
| Lacked enjoyment in having sex | 11 | 13 | 11 | 13 | 14 | 8 | 12 | 12 |
| Anxiety during sex | 8 | 8 | 4 | 4 | 3 | 2 | 7 | 5 |
| Physical pain as a result of sex | 10 | 8 | 5 | 6 | 10 | 5 | 7 | 7 |
| No excitement or arousal during sex | 9 | 8 | 7 | 9 | 10 | 7 | 8 | 8 |
| No orgasm or took a long time to reach orgasm, despite arousal | 21 | 17 | 14 | 15 | 16 | 14 | 17 | 16 |
| Reached orgasm more quickly than would have liked | 4 | 2 | 2 | 3 | 2 | 1 | 3 | 2 |
| Uncomfortably dry vagina ^b | 9 | 10 | 8 | 14 | 27 | 20 | 9 | 13 |
| One or more of these problems | 46 | 49 | 49 | 52 | 61 | 56 | 48 | 51 |
| Two or more of these problems | 23 | 24 | 19 | 22 | 28 | 18 | 22 | 22 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1279 | 1376 | 719 | 630 | 512 | 324 | 3374 | 4840 |
| <i>Women</i> | 1662 | 2236 | 1050 | 871 | 569 | 281 | 4948 | 6669 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 936 | 1238 | 1298 | 1186 | 849 | 469 | 3471 | 5975 |
| <i>Women</i> | 923 | 1246 | 1290 | 1186 | 755 | 355 | 3459 | 5755 |

a Asked of men only.

b Asked of women only.

Table 68

Share with partner the same level of interest in having sex, by age and sex

Aged 16-74, in steady sexual relationship for all of last year

2010-2012

| The same level of interest in having sex as partner | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | | | | | | | | |
| Agree strongly | 39 | 22 | 18 | 23 | 20 | 23 | 23 | 22 |
| Agree | 38 | 40 | 41 | 34 | 40 | 48 | 40 | 39 |
| Neither agree nor disagree | 7 | 13 | 16 | 16 | 18 | 15 | 14 | 15 |
| Disagree | 12 | 21 | 22 | 22 | 19 | 12 | 20 | 20 |
| Disagree strongly | 4 | 4 | 3 | 5 | 4 | 1 | 4 | 4 |
| Women | | | | | | | | |
| Agree strongly | 30 | 23 | 22 | 23 | 18 | 17 | 24 | 22 |
| Agree | 41 | 36 | 33 | 35 | 42 | 54 | 35 | 37 |
| Neither agree nor disagree | 8 | 11 | 13 | 15 | 16 | 14 | 12 | 13 |
| Disagree | 18 | 26 | 28 | 23 | 22 | 14 | 26 | 24 |
| Disagree strongly | 3 | 4 | 5 | 4 | 2 | 1 | 4 | 4 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 426 | 905 | 537 | 461 | 382 | 235 | 1868 | 2946 |
| <i>Women</i> | 756 | 1542 | 801 | 661 | 417 | 203 | 3099 | 4380 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 332 | 864 | 1052 | 942 | 678 | 353 | 2248 | 4221 |
| <i>Women</i> | 430 | 910 | 1056 | 973 | 587 | 267 | 2395 | 4222 |

Table 69

Share with partner the same sexual likes and dislikes, by age and sex

Aged 16-74, in steady sexual relationship for all of last year

2010-2012

| The same level sexual likes and dislikes as partner | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| Agree strongly | 38 | 22 | 21 | 25 | 20 | 22 | 24 | 23 |
| Agree | 43 | 54 | 53 | 49 | 54 | 56 | 52 | 52 |
| Neither agree nor disagree | 9 | 14 | 16 | 16 | 15 | 14 | 14 | 15 |
| Disagree | 9 | 9 | 9 | 9 | 10 | 7 | 9 | 9 |
| Disagree strongly | 1 | 1 | 1 | 1 | 1 | <1 | 1 | 1 |
| Women | | | | | | | | |
| Agree strongly | 34 | 29 | 31 | 28 | 22 | 19 | 31 | 28 |
| Agree | 49 | 53 | 51 | 51 | 57 | 64 | 52 | 53 |
| Neither agree nor disagree | 11 | 11 | 10 | 12 | 14 | 10 | 11 | 11 |
| Disagree | 5 | 6 | 7 | 8 | 7 | 7 | 6 | 7 |
| Disagree strongly | 1 | <1 | 1 | 1 | <1 | - | 1 | 1 |
| <i>Unweighted bases</i> | | | | | | | | |
| Men | 426 | 905 | 537 | 461 | 382 | 235 | 1868 | 2946 |
| Women | 756 | 1541 | 801 | 661 | 417 | 203 | 3098 | 4379 |
| <i>Weighted bases</i> | | | | | | | | |
| Men | 332 | 864 | 1052 | 942 | 678 | 353 | 2248 | 4221 |
| Women | 430 | 909 | 1056 | 973 | 587 | 267 | 2395 | 4221 |

Table 70

Partner experienced sexual difficulties in the last year, by age and sex

Aged 16-74, in steady sexual relationship for all of last year

2010-2012

| Partner experienced sexual difficulties | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | | | | | | | | |
| Agree strongly | 4 | 4 | 2 | 4 | 3 | 4 | 3 | 3 |
| Agree | 13 | 12 | 14 | 14 | 20 | 19 | 13 | 15 |
| Neither agree nor disagree | 12 | 11 | 14 | 13 | 16 | 21 | 12 | 14 |
| Disagree | 37 | 41 | 42 | 42 | 41 | 40 | 40 | 41 |
| Disagree strongly | 34 | 33 | 28 | 27 | 20 | 16 | 31 | 27 |
| Women | | | | | | | | |
| Agree strongly | 4 | 2 | 4 | 6 | 6 | 8 | 3 | 5 |
| Agree | 6 | 7 | 8 | 13 | 21 | 36 | 8 | 13 |
| Neither agree nor disagree | 6 | 6 | 8 | 12 | 15 | 10 | 7 | 10 |
| Disagree | 31 | 34 | 35 | 38 | 39 | 36 | 34 | 36 |
| Disagree strongly | 52 | 50 | 45 | 31 | 18 | 10 | 48 | 38 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 426 | 905 | 537 | 460 | 381 | 235 | 1868 | 2944 |
| <i>Women</i> | 756 | 1541 | 800 | 661 | 417 | 203 | 3097 | 4378 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 332 | 864 | 1052 | 940 | 677 | 353 | 2248 | 4217 |
| <i>Women</i> | 430 | 910 | 1054 | 973 | 587 | 267 | 2393 | 4220 |

Table 71

Emotionally close to partner when having sex, by age and sex

Aged 16-74, in steady sexual relationship for all of last year

2010-2012

| Emotionally close to partner when having sex | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|--|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | | | | | | | | |
| Agree strongly | 66 | 61 | 60 | 61 | 62 | 74 | 62 | 63 |
| Agree | 26 | 28 | 31 | 30 | 31 | 23 | 29 | 29 |
| Neither agree nor disagree | 6 | 9 | 7 | 8 | 6 | 3 | 8 | 7 |
| Disagree | 1 | 1 | 1 | <1 | 1 | <1 | 1 | 1 |
| Disagree strongly | 1 | 1 | 1 | <1 | 1 | - | 1 | 1 |
| Women | | | | | | | | |
| Agree strongly | 70 | 61 | 54 | 54 | 59 | 56 | 60 | 58 |
| Agree | 24 | 29 | 35 | 32 | 33 | 35 | 30 | 31 |
| Neither agree nor disagree | 5 | 8 | 9 | 11 | 6 | 6 | 8 | 8 |
| Disagree | 1 | 2 | 2 | 2 | 1 | 2 | 2 | 2 |
| Disagree strongly | 1 | <1 | 1 | 1 | 1 | - | 1 | 1 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 426 | 905 | 537 | 461 | 382 | 235 | 1868 | 2946 |
| <i>Women</i> | 756 | 1540 | 801 | 661 | 417 | 203 | 3097 | 4378 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 332 | 864 | 1052 | 942 | 678 | 353 | 2248 | 4221 |
| <i>Women</i> | 430 | 909 | 1056 | 973 | 587 | 267 | 2394 | 4221 |

Table 72

Happy in relationship, by age and sex

Aged 16-74, in steady sexual relationship for all of last year

2010-2012

| Happy in relationship | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|-------------------------|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | 66 | 70 | 67 | 64 | 62 | 68 | 68 | 66 |
| Women | 66 | 66 | 62 | 58 | 61 | 54 | 64 | 62 |
| <i>Unweighted bases</i> | | | | | | | | |
| Men | 426 | 905 | 537 | 462 | 382 | 235 | 1868 | 2947 |
| Women | 756 | 1541 | 801 | 661 | 417 | 203 | 3098 | 4379 |
| <i>Weighted bases</i> | | | | | | | | |
| Men | 332 | 864 | 1052 | 945 | 678 | 353 | 2248 | 4224 |
| Women | 430 | 909 | 1056 | 973 | 587 | 267 | 2395 | 4222 |

Table 73

Feels satisfied with sex life^a, by age and sex

Aged 16-74

2010-2012

| Satisfied with sex life ^a | Age at interview | | | | | | Total aged 16- 44 % | Total aged 16- 74 % |
|--------------------------------------|------------------|-------|-------|-------|-------|-------|------------------------------|------------------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | | | | | | | | |
| Agree strongly | 29 | 25 | 23 | 21 | 16 | 16 | 25 | 22 |
| Agree | 36 | 44 | 40 | 40 | 38 | 37 | 40 | 40 |
| Neither agree nor disagree | 20 | 16 | 19 | 20 | 26 | 28 | 18 | 21 |
| Disagree | 12 | 13 | 14 | 16 | 15 | 15 | 13 | 14 |
| Disagree strongly | 3 | 2 | 3 | 3 | 5 | 4 | 3 | 3 |
| Women | | | | | | | | |
| Agree strongly | 28 | 27 | 26 | 22 | 17 | 13 | 27 | 23 |
| Agree | 40 | 41 | 38 | 38 | 37 | 36 | 40 | 38 |
| Neither agree nor disagree | 22 | 19 | 21 | 24 | 30 | 40 | 21 | 25 |
| Disagree | 8 | 10 | 11 | 12 | 12 | 8 | 10 | 10 |
| Disagree strongly | 2 | 3 | 4 | 5 | 4 | 3 | 3 | 3 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1601 | 1477 | 788 | 759 | 707 | 601 | 3866 | 5933 |
| <i>Women</i> | 1985 | 2409 | 1179 | 1085 | 977 | 793 | 5573 | 8428 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1150 | 1332 | 1390 | 1355 | 1106 | 778 | 3871 | 7110 |
| <i>Women</i> | 1109 | 1334 | 1416 | 1395 | 1174 | 849 | 3860 | 7278 |

^a 'Sex life' defined as including sexual thoughts, sexual feelings, sexual activity and sexual relationships.

Table 74

Feel distressed or worried about sex life^a, by age and sex

Aged 16-74

2010-2012

| Distressed or worried about sex life ^a | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | | | | | | | | |
| Agree strongly | 2 | 2 | 2 | 1 | 2 | 2 | 2 | 2 |
| Agree | 8 | 8 | 8 | 9 | 12 | 9 | 8 | 9 |
| Neither agree nor disagree | 17 | 16 | 21 | 18 | 26 | 25 | 18 | 20 |
| Disagree | 37 | 39 | 38 | 40 | 38 | 40 | 38 | 39 |
| Disagree strongly | 35 | 35 | 32 | 31 | 22 | 25 | 34 | 30 |
| Women | | | | | | | | |
| Agree strongly | 2 | 2 | 1 | 3 | 3 | 2 | 2 | 2 |
| Agree | 8 | 10 | 9 | 9 | 7 | 5 | 9 | 8 |
| Neither agree nor disagree | 19 | 19 | 23 | 24 | 27 | 31 | 20 | 23 |
| Disagree | 36 | 36 | 36 | 36 | 39 | 37 | 36 | 37 |
| Disagree strongly | 35 | 33 | 31 | 28 | 25 | 24 | 33 | 29 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1601 | 1478 | 788 | 759 | 708 | 602 | 3867 | 5936 |
| <i>Women</i> | 1985 | 2411 | 1179 | 1084 | 980 | 798 | 5575 | 8437 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1150 | 1333 | 1390 | 1355 | 1107 | 780 | 3872 | 7114 |
| <i>Women</i> | 1110 | 1336 | 1416 | 1395 | 1178 | 853 | 3861 | 7287 |

^a 'Sex life' defined as including sexual thoughts, sexual feelings, sexual activity and sexual relationships.

Table 75

Avoided sex because of own or partner's difficulties, by age and sex

Aged 16-74^a

2010-2012

| Avoided sex | Age at interview | | | | | | Total aged 16- 44 % | Total aged 16- 74 % |
|----------------------------|------------------|-------|-------|-------|-------|-------|------------------------------|------------------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | | | | | | | | |
| Agree strongly | 1 | 1 | 2 | 2 | 3 | 3 | 1 | 2 |
| Agree | 6 | 8 | 9 | 10 | 14 | 19 | 8 | 10 |
| Neither agree nor disagree | 12 | 8 | 12 | 11 | 18 | 18 | 10 | 13 |
| Disagree | 30 | 35 | 34 | 35 | 36 | 35 | 33 | 34 |
| Disagree strongly | 52 | 48 | 44 | 42 | 28 | 25 | 48 | 41 |
| Women | | | | | | | | |
| Agree strongly | 1 | 2 | 2 | 4 | 4 | 4 | 2 | 3 |
| Agree | 8 | 9 | 10 | 12 | 17 | 14 | 9 | 11 |
| Neither agree nor disagree | 12 | 11 | 12 | 17 | 20 | 28 | 12 | 16 |
| Disagree | 32 | 36 | 38 | 36 | 35 | 34 | 36 | 36 |
| Disagree strongly | 47 | 42 | 38 | 32 | 24 | 20 | 42 | 34 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1461 | 1478 | 788 | 759 | 706 | 600 | 3727 | 5792 |
| <i>Women</i> | 1818 | 2411 | 1179 | 1085 | 982 | 794 | 5408 | 8269 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1072 | 1333 | 1390 | 1355 | 1103 | 778 | 3794 | 7030 |
| <i>Women</i> | 1026 | 1336 | 1416 | 1395 | 1179 | 848 | 3777 | 7200 |

a Excludes 16 and 17 year olds who have not had vaginal or anal sex.

Table 76

Sought help or advice regarding sex life^a, by age and sex

Aged 16-74^b

2010-2012

| Sought help or advice | Age at interview | | | | | | Total aged 16- 44 % | Total aged 16- 74 % |
|-------------------------|------------------|-------|-------|-------|-------|-------|------------------------------|------------------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | 25 | 15 | 10 | 10 | 14 | 12 | 16 | 14 |
| Women | 32 | 22 | 11 | 9 | 10 | 5 | 21 | 15 |
| <i>Unweighted bases</i> | | | | | | | | |
| Men | 1461 | 1478 | 787 | 758 | 709 | 603 | 3726 | 5796 |
| Women | 1818 | 2411 | 1177 | 1088 | 988 | 804 | 5406 | 8286 |
| <i>Weighted bases</i> | | | | | | | | |
| Men | 1071 | 1333 | 1389 | 1351 | 1108 | 781 | 3793 | 7033 |
| Women | 1026 | 1336 | 1413 | 1398 | 1184 | 858 | 3775 | 7215 |

a 'Sex life' defined as including sexual thoughts, sexual feelings, sexual activity and sexual relationships.

b Excludes 16 and 17 year olds who have not had vaginal or anal sex.

Table 77

Current preference for frequency of sex, by age and sex

Aged 16-74, with at least one sexual partner in last year

2010-2012

| Current preference for frequency of sex | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| Much more often | 21 | 23 | 21 | 15 | 13 | 8 | 22 | 18 |
| A bit more often | 37 | 43 | 46 | 47 | 44 | 37 | 43 | 43 |
| About right as it is | 40 | 33 | 32 | 38 | 42 | 51 | 35 | 38 |
| A bit less often | 1 | <1 | <1 | <1 | 1 | 2 | 1 | 1 |
| Much less often | 1 | 1 | <1 | <1 | <1 | 2 | <1 | <1 |
| Women | | | | | | | | |
| Much more often | 14 | 16 | 13 | 14 | 8 | 4 | 14 | 13 |
| A bit more often | 31 | 38 | 39 | 33 | 30 | 21 | 36 | 34 |
| About right as it is | 52 | 43 | 45 | 49 | 56 | 65 | 46 | 49 |
| A bit less often | 2 | 3 | 3 | 3 | 3 | 6 | 2 | 3 |
| Much less often | 1 | 1 | 1 | 1 | 3 | 4 | 1 | 1 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1286 | 1375 | 719 | 630 | 510 | 323 | 3380 | 4843 |
| <i>Women</i> | 1665 | 2236 | 1049 | 872 | 567 | 279 | 4950 | 6668 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 940 | 1236 | 1298 | 1189 | 846 | 467 | 3474 | 5976 |
| <i>Women</i> | 925 | 1245 | 1288 | 1188 | 753 | 353 | 3458 | 5752 |

Table 78

Always finds it easy to talk to partner(s) about sex, by age and sex

Aged 16-74, with at least one sexual partner in lifetime

2010-2012

| Always finds it easy to talk to partner(s) about sex | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|--|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | 46 | 35 | 29 | 28 | 25 | 27 | 36 | 31 |
| Women | 33 | 26 | 21 | 22 | 22 | 30 | 26 | 25 |
| <i>Unweighted bases</i> | | | | | | | | |
| Men | 1368 | 1442 | 782 | 745 | 692 | 580 | 3592 | 5609 |
| Women | 1725 | 2373 | 1167 | 1062 | 969 | 781 | 5265 | 8077 |
| <i>Weighted bases</i> | | | | | | | | |
| Men | 998 | 1293 | 1378 | 1336 | 1088 | 755 | 3669 | 6849 |
| Women | 961 | 1310 | 1395 | 1373 | 1170 | 836 | 3666 | 7045 |

Table 79

Ever taken medicine or pills to assist sexual performance, by age and sex

Aged 16-74^a

2010-2012

| Ever taken medicine or pills to assist sexual performance | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | 7 | 11 | 11 | 13 | 18 | 20 | 10 | 13 |
| Women | 3 | 3 | 2 | 1 | 1 | 2 | 3 | 2 |
| <i>Unweighted bases</i> | | | | | | | | |
| Men | 1362 | 1444 | 782 | 746 | 697 | 586 | 3588 | 5617 |
| Women | 1715 | 2377 | 1170 | 1065 | 975 | 793 | 5262 | 8095 |
| <i>Weighted bases</i> | | | | | | | | |
| Men | 995 | 1295 | 1378 | 1338 | 1093 | 764 | 3669 | 6863 |
| Women | 957 | 1313 | 1399 | 1376 | 1174 | 849 | 3668 | 7067 |

a Excludes 16 and 17 year olds who have not had vaginal or anal sex.

Table 80

Attitude to non-exclusivity in marriage, by age and sex

Aged 16-74

2010-2012

| Attitude to non-exclusivity in marriage | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | | | | | | | | |
| Always wrong | 67 | 62 | 59 | 53 | 48 | 53 | 63 | 57 |
| Mostly wrong | 22 | 26 | 26 | 30 | 32 | 28 | 25 | 27 |
| Sometimes wrong | 8 | 9 | 12 | 14 | 16 | 15 | 10 | 12 |
| Rarely wrong | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 |
| Not wrong at all | 2 | 1 | 1 | 3 | 3 | 4 | 2 | 2 |
| Always/mostly wrong | 89 | 88 | 86 | 82 | 79 | 81 | 88 | 85 |
| Rarely wrong/not wrong at all | 4 | 3 | 2 | 4 | 5 | 4 | 3 | 3 |
| Women | | | | | | | | |
| Always wrong | 74 | 71 | 65 | 61 | 59 | 58 | 70 | 65 |
| Mostly wrong | 20 | 22 | 23 | 28 | 26 | 28 | 22 | 24 |
| Sometimes wrong | 5 | 6 | 10 | 11 | 13 | 13 | 7 | 10 |
| Rarely wrong | 1 | <1 | 1 | <1 | <1 | <1 | 1 | <1 |
| Not wrong at all | 1 | 1 | 1 | <1 | 1 | 1 | 1 | 1 |
| Always/mostly wrong | 94 | 93 | 88 | 88 | 85 | 86 | 92 | 89 |
| Rarely wrong/not wrong at all | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1711 | 1504 | 788 | 764 | 743 | 643 | 4003 | 6153 |
| <i>Women</i> | 2120 | 2451 | 1195 | 1096 | 1009 | 839 | 5766 | 8710 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1227 | 1352 | 1398 | 1369 | 1151 | 834 | 3978 | 7332 |
| <i>Women</i> | 1196 | 1361 | 1433 | 1411 | 1206 | 898 | 3990 | 7505 |

Table 81

Attitude to one night stands, by age and sex

Aged 16-74

2010-2012

| Attitude to one night stands | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|-------------------------------|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| Always wrong | 16 | 21 | 28 | 30 | 36 | 49 | 22 | 28 |
| Mostly wrong | 15 | 14 | 16 | 23 | 24 | 23 | 15 | 19 |
| Sometimes wrong | 35 | 31 | 29 | 25 | 21 | 13 | 32 | 27 |
| Rarely wrong | 15 | 12 | 7 | 6 | 4 | 5 | 11 | 8 |
| Not wrong at all | 19 | 22 | 20 | 17 | 14 | 10 | 20 | 17 |
| Always/mostly wrong | 31 | 35 | 44 | 52 | 60 | 71 | 37 | 47 |
| Rarely wrong/not wrong at all | 34 | 34 | 26 | 22 | 19 | 15 | 31 | 26 |
| Women | | | | | | | | |
| Always wrong | 28 | 28 | 33 | 41 | 52 | 66 | 30 | 40 |
| Mostly wrong | 23 | 16 | 20 | 25 | 27 | 23 | 20 | 22 |
| Sometimes wrong | 31 | 32 | 26 | 22 | 15 | 6 | 29 | 23 |
| Rarely wrong | 8 | 9 | 6 | 4 | 2 | 1 | 8 | 5 |
| Not wrong at all | 9 | 15 | 15 | 8 | 4 | 3 | 13 | 9 |
| Always/mostly wrong | 52 | 45 | 53 | 66 | 79 | 89 | 50 | 62 |
| Rarely wrong/not wrong at all | 17 | 24 | 21 | 12 | 6 | 4 | 21 | 15 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1680 | 1472 | 758 | 745 | 722 | 609 | 3910 | 5986 |
| <i>Women</i> | 2082 | 2378 | 1147 | 1074 | 993 | 831 | 5607 | 8505 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1201 | 1326 | 1342 | 1334 | 1114 | 790 | 3869 | 7107 |
| <i>Women</i> | 1174 | 1321 | 1370 | 1380 | 1192 | 888 | 3865 | 7326 |

Table 82

Attitude to male same-sex partnerships, by age and sex

Aged 16-74

2010-2012

| Attitude to male same-sex partnerships | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|--|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | | | | | | | | |
| Always wrong | 23 | 27 | 32 | 34 | 41 | 57 | 27 | 34 |
| Mostly wrong | 10 | 9 | 7 | 11 | 12 | 12 | 9 | 10 |
| Sometimes wrong | 8 | 7 | 9 | 7 | 7 | 6 | 8 | 7 |
| Rarely wrong | 10 | 7 | 6 | 9 | 7 | 3 | 8 | 8 |
| Not wrong at all | 49 | 50 | 46 | 39 | 33 | 21 | 48 | 41 |
| Always/mostly wrong | 34 | 36 | 39 | 45 | 53 | 69 | 36 | 44 |
| Rarely wrong/not wrong at all | 59 | 57 | 52 | 48 | 40 | 24 | 56 | 48 |
| Women | | | | | | | | |
| Always wrong | 11 | 15 | 16 | 15 | 21 | 31 | 14 | 17 |
| Mostly wrong | 5 | 4 | 5 | 7 | 8 | 11 | 5 | 7 |
| Sometimes wrong | 6 | 6 | 7 | 9 | 10 | 10 | 6 | 8 |
| Rarely wrong | 10 | 8 | 8 | 8 | 10 | 8 | 9 | 9 |
| Not wrong at all | 68 | 67 | 64 | 60 | 52 | 40 | 66 | 60 |
| Always/mostly wrong | 16 | 19 | 21 | 22 | 29 | 42 | 19 | 24 |
| Rarely wrong/not wrong at all | 78 | 75 | 72 | 68 | 61 | 48 | 75 | 69 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1680 | 1460 | 761 | 749 | 721 | 622 | 3901 | 5993 |
| <i>Women</i> | 2084 | 2379 | 1157 | 1037 | 954 | 790 | 5620 | 8401 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1202 | 1315 | 1349 | 1330 | 1123 | 801 | 3866 | 7121 |
| <i>Women</i> | 1177 | 1323 | 1389 | 1326 | 1138 | 844 | 3889 | 7197 |

Table 83

Attitude to female same-sex partnerships, by age and sex

Aged 16-74

2010-2012

| Attitude to female same-sex partnerships | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|--|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | | | | | | | | |
| Always wrong | 13 | 18 | 22 | 22 | 28 | 46 | 18 | 23 |
| Mostly wrong | 10 | 9 | 9 | 15 | 14 | 15 | 9 | 12 |
| Sometimes wrong | 12 | 10 | 11 | 10 | 11 | 9 | 11 | 10 |
| Rarely wrong | 12 | 9 | 8 | 10 | 8 | 6 | 10 | 9 |
| Not wrong at all | 53 | 54 | 50 | 43 | 38 | 24 | 52 | 45 |
| Always/mostly wrong | 22 | 27 | 32 | 37 | 43 | 61 | 27 | 35 |
| Rarely wrong/not wrong at all | 65 | 63 | 58 | 53 | 46 | 30 | 62 | 54 |
| Women | | | | | | | | |
| Always wrong | 12 | 14 | 15 | 15 | 21 | 32 | 14 | 17 |
| Mostly wrong | 5 | 4 | 5 | 7 | 8 | 12 | 5 | 6 |
| Sometimes wrong | 6 | 6 | 7 | 9 | 10 | 10 | 6 | 8 |
| Rarely wrong | 10 | 9 | 8 | 8 | 9 | 7 | 9 | 9 |
| Not wrong at all | 67 | 67 | 65 | 60 | 52 | 39 | 66 | 60 |
| Always/mostly wrong | 17 | 19 | 20 | 22 | 29 | 43 | 18 | 24 |
| Rarely wrong/not wrong at all | 77 | 75 | 73 | 68 | 61 | 46 | 75 | 68 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1679 | 1460 | 763 | 753 | 715 | 610 | 3902 | 5980 |
| <i>Women</i> | 2083 | 2385 | 1157 | 1043 | 957 | 797 | 5625 | 8422 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1201 | 1315 | 1348 | 1338 | 1114 | 788 | 3865 | 7104 |
| <i>Women</i> | 1176 | 1326 | 1390 | 1338 | 1144 | 854 | 3892 | 7228 |

Table 84

Attitudes: it's OK to have sex with someone else without being in love with them, by age and sex

| <i>Aged 16-74</i> | | <i>2010-2012</i> | | | | | | | |
|---|-------------------------|------------------|-------|-------|-------|-------|------|-------------------------|-------------------------|
| It's OK to have sex without love | Age at interview | | | | | | | Total aged 16- 44 | Total aged 16- 74 |
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | % | | |
| | % | % | % | % | % | % | % | % | |
| Men | | | | | | | | | |
| Agree strongly | 19 | 21 | 14 | 15 | 9 | 6 | 18 | 14 | |
| Agree | 46 | 46 | 50 | 48 | 46 | 44 | 47 | 47 | |
| Neither agree nor disagree | 21 | 17 | 20 | 21 | 24 | 24 | 19 | 21 | |
| Disagree | 10 | 11 | 11 | 12 | 13 | 19 | 11 | 13 | |
| Disagree strongly | 4 | 5 | 5 | 4 | 7 | 7 | 5 | 5 | |
| Women | | | | | | | | | |
| Agree strongly | 9 | 12 | 11 | 8 | 5 | 3 | 11 | 8 | |
| Agree | 37 | 42 | 40 | 38 | 32 | 27 | 39 | 37 | |
| Neither agree nor disagree | 29 | 24 | 27 | 27 | 26 | 25 | 26 | 26 | |
| Disagree | 17 | 14 | 16 | 19 | 23 | 31 | 16 | 19 | |
| Disagree strongly | 8 | 9 | 7 | 8 | 14 | 14 | 8 | 10 | |
| <i>Unweighted bases</i> | | | | | | | | | |
| <i>Men</i> | 1721 | 1516 | 798 | 783 | 762 | 653 | 4035 | 6233 | |
| <i>Women</i> | 2125 | 2474 | 1207 | 1115 | 1020 | 857 | 5806 | 8798 | |
| <i>Weighted bases</i> | | | | | | | | | |
| <i>Men</i> | 1233 | 1367 | 1410 | 1399 | 1183 | 848 | 4010 | 7439 | |
| <i>Women</i> | 1197 | 1373 | 1443 | 1434 | 1223 | 918 | 4013 | 7588 | |

Table 85

Attitudes: people are under a lot of pressure to have sex nowadays, by age and sex

Aged 16-74

2010-2012

| People are under a lot of pressure to have sex | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|--|------------------|-------------|-------------|-------------|-------------|------------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | | | | | | | | |
| Agree strongly | 23 | 20 | 21 | 21 | 19 | 21 | 21 | 21 |
| Agree | 45 | 43 | 40 | 39 | 42 | 45 | 42 | 42 |
| Neither agree nor disagree | 19 | 22 | 26 | 22 | 22 | 16 | 23 | 22 |
| Disagree | 11 | 13 | 11 | 16 | 15 | 15 | 12 | 14 |
| Disagree strongly | 1 | 2 | 1 | 1 | 2 | 2 | 2 | 2 |
| Women | | | | | | | | |
| Agree strongly | 29 | 25 | 28 | 31 | 31 | 30 | 27 | 29 |
| Agree | 46 | 45 | 43 | 43 | 46 | 51 | 45 | 45 |
| Neither agree nor disagree | 15 | 20 | 18 | 15 | 12 | 9 | 18 | 15 |
| Disagree | 8 | 9 | 10 | 9 | 9 | 9 | 9 | 9 |
| Disagree strongly | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | <i>1721</i> | <i>1505</i> | <i>788</i> | <i>772</i> | <i>742</i> | <i>633</i> | <i>4014</i> | <i>6161</i> |
| <i>Women</i> | <i>2125</i> | <i>2435</i> | <i>1189</i> | <i>1100</i> | <i>1016</i> | <i>848</i> | <i>5749</i> | <i>8713</i> |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | <i>1233</i> | <i>1356</i> | <i>1395</i> | <i>1381</i> | <i>1156</i> | <i>818</i> | <i>3983</i> | <i>7338</i> |
| <i>Women</i> | <i>1195</i> | <i>1349</i> | <i>1424</i> | <i>1415</i> | <i>1216</i> | <i>910</i> | <i>3968</i> | <i>7509</i> |

Table 86

Attitudes: it's natural for people to want sex less as they grow older, by age and sex

Aged 16-74

2010-2012

| Natural for people to want sex less as they grow older | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|--|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | | | | | | | | |
| Agree strongly | 4 | 3 | 4 | 3 | 6 | 10 | 4 | 5 |
| Agree | 29 | 36 | 35 | 42 | 48 | 56 | 34 | 40 |
| Neither agree nor disagree | 42 | 34 | 31 | 24 | 19 | 13 | 35 | 28 |
| Disagree | 21 | 24 | 27 | 27 | 23 | 18 | 24 | 24 |
| Disagree strongly | 4 | 3 | 4 | 4 | 3 | 3 | 3 | 3 |
| Women | | | | | | | | |
| Agree strongly | 5 | 5 | 6 | 8 | 9 | 10 | 5 | 7 |
| Agree | 28 | 34 | 35 | 40 | 45 | 53 | 32 | 39 |
| Neither agree nor disagree | 44 | 35 | 30 | 24 | 19 | 20 | 36 | 29 |
| Disagree | 22 | 24 | 25 | 24 | 25 | 16 | 24 | 23 |
| Disagree strongly | 2 | 3 | 3 | 3 | 2 | 2 | 3 | 3 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1610 | 1470 | 783 | 778 | 753 | 649 | 3863 | 6043 |
| <i>Women</i> | 2010 | 2384 | 1182 | 1102 | 1015 | 857 | 5576 | 8550 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1161 | 1324 | 1388 | 1385 | 1171 | 842 | 3874 | 7271 |
| <i>Women</i> | 1134 | 1327 | 1416 | 1420 | 1218 | 918 | 3876 | 7433 |

Table 87

Attitudes: men have a naturally higher sex drive than women, by age and sex

Aged 16-74

2010-2012

| Men have a naturally higher sex drive | Age at interview | | | | | | | Total aged 16-44 | Total aged 16-74 |
|--|-------------------------|-------|-------|-------|-------|-------|------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | | |
| | % | % | % | % | % | % | | | |
| Men | | | | | | | | | |
| Agree strongly | 12 | 13 | 11 | 9 | 6 | 11 | 12 | 10 | |
| Agree | 33 | 32 | 31 | 33 | 30 | 38 | 32 | 33 | |
| Neither agree nor disagree | 33 | 30 | 33 | 30 | 35 | 27 | 32 | 32 | |
| Disagree | 18 | 22 | 23 | 25 | 26 | 22 | 21 | 23 | |
| Disagree strongly | 4 | 3 | 2 | 3 | 3 | 2 | 3 | 3 | |
| Women | | | | | | | | | |
| Agree strongly | 16 | 15 | 14 | 13 | 13 | 13 | 15 | 14 | |
| Agree | 34 | 35 | 36 | 36 | 40 | 47 | 35 | 37 | |
| Neither agree nor disagree | 26 | 22 | 23 | 23 | 23 | 18 | 24 | 23 | |
| Disagree | 21 | 24 | 23 | 25 | 22 | 20 | 23 | 23 | |
| Disagree strongly | 3 | 4 | 4 | 4 | 2 | 2 | 4 | 3 | |
| <i>Unweighted bases</i> | | | | | | | | | |
| <i>Men</i> | 1680 | 1500 | 780 | 769 | 738 | 622 | 3960 | 6089 | |
| <i>Women</i> | 2096 | 2456 | 1201 | 1100 | 1016 | 844 | 5753 | 8713 | |
| <i>Weighted bases</i> | | | | | | | | | |
| <i>Men</i> | 1202 | 1350 | 1380 | 1369 | 1154 | 810 | 3933 | 7266 | |
| <i>Women</i> | 1183 | 1364 | 1439 | 1419 | 1220 | 904 | 3986 | 7530 | |

Table 88

Attitudes: there's too much sex in the media these days, by age and sex

Aged 16-74

2010-2012

| Too much sex in the media | Age at interview | | | | | | Total aged 16- 44 % | Total aged 16- 74 % |
|----------------------------|------------------|-------|-------|-------|-------|-------|------------------------------|------------------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | | | | | | | | |
| Agree strongly | 16 | 21 | 23 | 20 | 23 | 32 | 20 | 22 |
| Agree | 37 | 41 | 43 | 43 | 44 | 48 | 40 | 42 |
| Neither agree nor disagree | 31 | 24 | 23 | 25 | 22 | 13 | 26 | 24 |
| Disagree | 15 | 13 | 11 | 11 | 11 | 6 | 13 | 11 |
| Disagree strongly | 2 | 1 | 1 | 1 | 1 | <1 | 1 | 1 |
| Women | | | | | | | | |
| Agree strongly | 21 | 27 | 27 | 31 | 34 | 44 | 25 | 30 |
| Agree | 44 | 42 | 44 | 48 | 48 | 46 | 43 | 45 |
| Neither agree nor disagree | 24 | 24 | 22 | 16 | 15 | 8 | 23 | 19 |
| Disagree | 10 | 7 | 6 | 5 | 3 | 2 | 7 | 6 |
| Disagree strongly | 1 | 1 | 1 | 1 | <1 | 1 | 1 | 1 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1713 | 1510 | 797 | 784 | 757 | 654 | 4020 | 6215 |
| <i>Women</i> | 2119 | 2465 | 1200 | 1117 | 1023 | 866 | 5784 | 8790 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1228 | 1359 | 1410 | 1395 | 1180 | 848 | 3998 | 7420 |
| <i>Women</i> | 1194 | 1370 | 1438 | 1437 | 1227 | 925 | 4002 | 7590 |

Table 89

Attitudes: young people today start having sex too early, by age and sex

Aged 16-74

2010-2012

| Young people today start having sex too early | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-------------|-------------|-------------|-------------|------------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| Agree strongly | 30 | 34 | 33 | 34 | 31 | 40 | 32 | 33 |
| Agree | 49 | 45 | 47 | 46 | 49 | 46 | 47 | 47 |
| Neither agree nor disagree | 16 | 16 | 16 | 16 | 15 | 9 | 16 | 15 |
| Disagree | 6 | 4 | 4 | 3 | 5 | 4 | 4 | 4 |
| Disagree strongly | <1 | 1 | 1 | 1 | <1 | 1 | 1 | 1 |
| Women | | | | | | | | |
| Agree strongly | 44 | 46 | 44 | 42 | 45 | 51 | 45 | 45 |
| Agree | 47 | 40 | 43 | 43 | 45 | 44 | 43 | 44 |
| Neither agree nor disagree | 7 | 11 | 11 | 11 | 8 | 4 | 10 | 9 |
| Disagree | 2 | 2 | 2 | 4 | 2 | 1 | 2 | 2 |
| Disagree strongly | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | <i>1716</i> | <i>1500</i> | <i>785</i> | <i>768</i> | <i>746</i> | <i>637</i> | <i>4001</i> | <i>6152</i> |
| <i>Women</i> | <i>2128</i> | <i>2448</i> | <i>1192</i> | <i>1105</i> | <i>1014</i> | <i>864</i> | <i>5768</i> | <i>8751</i> |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | <i>1229</i> | <i>1352</i> | <i>1389</i> | <i>1368</i> | <i>1154</i> | <i>827</i> | <i>3970</i> | <i>7320</i> |
| <i>Women</i> | <i>1200</i> | <i>1358</i> | <i>1431</i> | <i>1424</i> | <i>1217</i> | <i>924</i> | <i>3989</i> | <i>7554</i> |

Table 90

Attitudes: gay men should be able to adopt children, by age and sex

Aged 16-74

2010-2012

| Gay men should be able to adopt children | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|--|------------------|-------------|-------------|-------------|-------------|------------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| Agree strongly | 22 | 15 | 8 | 6 | 5 | 2 | 15 | 10 |
| Agree | 37 | 33 | 31 | 27 | 21 | 11 | 33 | 28 |
| Neither agree nor disagree | 22 | 23 | 25 | 22 | 18 | 13 | 23 | 21 |
| Disagree | 10 | 15 | 21 | 22 | 28 | 31 | 15 | 20 |
| Disagree strongly | 11 | 15 | 15 | 22 | 27 | 42 | 14 | 21 |
| Women | | | | | | | | |
| Agree strongly | 37 | 24 | 17 | 10 | 7 | 4 | 25 | 17 |
| Agree | 37 | 41 | 42 | 41 | 34 | 26 | 40 | 38 |
| Neither agree nor disagree | 14 | 19 | 23 | 25 | 28 | 22 | 19 | 22 |
| Disagree | 7 | 10 | 12 | 16 | 20 | 26 | 10 | 14 |
| Disagree strongly | 4 | 7 | 7 | 8 | 12 | 22 | 6 | 9 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | <i>1701</i> | <i>1489</i> | <i>789</i> | <i>781</i> | <i>753</i> | <i>654</i> | <i>3979</i> | <i>6167</i> |
| <i>Women</i> | <i>2119</i> | <i>2447</i> | <i>1191</i> | <i>1106</i> | <i>1013</i> | <i>847</i> | <i>5757</i> | <i>8723</i> |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | <i>1214</i> | <i>1346</i> | <i>1395</i> | <i>1384</i> | <i>1170</i> | <i>846</i> | <i>3955</i> | <i>7355</i> |
| <i>Women</i> | <i>1196</i> | <i>1358</i> | <i>1423</i> | <i>1421</i> | <i>1214</i> | <i>905</i> | <i>3977</i> | <i>7516</i> |

Table 91

Attitudes: lesbians should be able to adopt children, by age and sex

Aged 16-74

2010-2012

| Lesbians should be able to adopt children | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|---|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | % | % |
| Men | | | | | | | | |
| Agree strongly | 22 | 15 | 9 | 7 | 6 | 2 | 15 | 10 |
| Agree | 37 | 34 | 32 | 30 | 24 | 17 | 34 | 30 |
| Neither agree nor disagree | 22 | 23 | 26 | 23 | 20 | 18 | 24 | 22 |
| Disagree | 10 | 15 | 19 | 22 | 28 | 29 | 15 | 20 |
| Disagree strongly | 9 | 13 | 14 | 19 | 21 | 34 | 12 | 17 |
| Women | | | | | | | | |
| Agree strongly | 37 | 25 | 17 | 10 | 7 | 4 | 26 | 17 |
| Agree | 37 | 41 | 42 | 42 | 35 | 27 | 40 | 38 |
| Neither agree nor disagree | 14 | 19 | 22 | 25 | 28 | 23 | 19 | 22 |
| Disagree | 7 | 9 | 12 | 15 | 20 | 25 | 9 | 14 |
| Disagree strongly | 4 | 6 | 7 | 7 | 11 | 21 | 6 | 9 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1700 | 1491 | 790 | 775 | 750 | 652 | 3981 | 6158 |
| <i>Women</i> | 2120 | 2444 | 1191 | 1106 | 1018 | 850 | 5755 | 8729 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1214 | 1348 | 1397 | 1374 | 1166 | 842 | 3958 | 7340 |
| <i>Women</i> | 1196 | 1356 | 1423 | 1421 | 1220 | 908 | 3975 | 7523 |

Table 92

Attitudes: teaching young people about sexual matters encourages them to have sex, by age and sex

Aged 16-74

2010-2012

| Teaching young people about sexual matters encourages them to have sex | Age at interview | | | | | | | Total aged 16-44 | Total aged 16-74 |
|--|------------------|-------------|-------------|-------------|-------------|------------|-------------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | | |
| | % | % | % | % | % | % | | | |
| Men | | | | | | | | | |
| Agree strongly | 3 | 3 | 3 | 2 | 3 | 5 | 3 | 3 | |
| Agree | 23 | 19 | 18 | 15 | 22 | 31 | 20 | 20 | |
| Neither agree nor disagree | 28 | 22 | 21 | 23 | 19 | 23 | 24 | 23 | |
| Disagree | 38 | 46 | 49 | 50 | 46 | 36 | 44 | 45 | |
| Disagree strongly | 7 | 10 | 9 | 10 | 10 | 5 | 9 | 9 | |
| Women | | | | | | | | | |
| Agree strongly | 4 | 2 | 2 | 3 | 4 | 5 | 3 | 3 | |
| Agree | 15 | 12 | 11 | 12 | 18 | 28 | 12 | 15 | |
| Neither agree nor disagree | 26 | 22 | 20 | 19 | 19 | 22 | 23 | 21 | |
| Disagree | 44 | 50 | 54 | 52 | 48 | 40 | 49 | 49 | |
| Disagree strongly | 11 | 14 | 14 | 14 | 11 | 6 | 13 | 12 | |
| <i>Unweighted bases</i> | | | | | | | | | |
| <i>Men</i> | <i>1712</i> | <i>1505</i> | <i>797</i> | <i>778</i> | <i>749</i> | <i>643</i> | <i>4014</i> | <i>6184</i> | |
| <i>Women</i> | <i>2116</i> | <i>2457</i> | <i>1200</i> | <i>1105</i> | <i>1013</i> | <i>846</i> | <i>5773</i> | <i>8737</i> | |
| <i>Weighted bases</i> | | | | | | | | | |
| <i>Men</i> | <i>1228</i> | <i>1357</i> | <i>1408</i> | <i>1383</i> | <i>1162</i> | <i>833</i> | <i>3993</i> | <i>7371</i> | |
| <i>Women</i> | <i>1196</i> | <i>1364</i> | <i>1436</i> | <i>1421</i> | <i>1217</i> | <i>901</i> | <i>3996</i> | <i>7535</i> | |

Table 93

Perception of how many young people in the UK have sexual intercourse before their sixteenth birthday, by age and sex

Aged 16-74

2010-2012

| How many young people have sex before their 16th birthday | Age at interview | | | | | | Total aged 16-44 % | Total aged 16-74 % |
|---|------------------|-------------|-------------|-------------|-------------|------------|--------------------|--------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | | | | | | | | |
| Less than a quarter | 6 | 7 | 9 | 12 | 10 | 11 | 7 | 9 |
| About a quarter | 27 | 25 | 26 | 27 | 26 | 27 | 26 | 26 |
| About a half | 40 | 40 | 42 | 38 | 41 | 35 | 41 | 40 |
| About three quarters | 18 | 18 | 15 | 16 | 14 | 17 | 17 | 16 |
| More than three quarters | 9 | 10 | 9 | 8 | 8 | 10 | 10 | 9 |
| Women | | | | | | | | |
| Less than a quarter | 3 | 3 | 6 | 6 | 5 | 4 | 4 | 5 |
| About a quarter | 20 | 20 | 19 | 22 | 21 | 20 | 20 | 21 |
| About a half | 42 | 45 | 43 | 41 | 41 | 42 | 43 | 42 |
| About three quarters | 22 | 19 | 20 | 20 | 22 | 24 | 20 | 21 |
| More than three quarters | 14 | 12 | 12 | 11 | 10 | 10 | 13 | 12 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | <i>1671</i> | <i>1457</i> | <i>762</i> | <i>738</i> | <i>701</i> | <i>605</i> | <i>3890</i> | <i>5934</i> |
| <i>Women</i> | <i>2079</i> | <i>2387</i> | <i>1141</i> | <i>1056</i> | <i>977</i> | <i>789</i> | <i>5607</i> | <i>8429</i> |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | <i>1201</i> | <i>1316</i> | <i>1349</i> | <i>1301</i> | <i>1095</i> | <i>779</i> | <i>3865</i> | <i>7041</i> |
| <i>Women</i> | <i>1167</i> | <i>1318</i> | <i>1367</i> | <i>1355</i> | <i>1167</i> | <i>848</i> | <i>3852</i> | <i>7222</i> |

Table 94

Perception of HIV/AIDS risk to self, by age and sex

Aged 16-74

2010-2012

| HIV/AIDS risk to self | Age at interview | | | | | | Total aged 16-44 | Total aged 16-74 |
|-------------------------|------------------|-------|-------|-------|-------|-------|------------------|------------------|
| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | | |
| | % | % | % | % | % | % | | |
| Men | | | | | | | | |
| Greatly at risk | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 |
| Quite a lot | 4 | 3 | 2 | 2 | 2 | 1 | 3 | 2 |
| Not very much | 37 | 27 | 18 | 18 | 12 | 6 | 27 | 20 |
| Not at all at risk | 57 | 69 | 79 | 78 | 84 | 91 | 69 | 76 |
| Don't know | 1 | <1 | <1 | 1 | <1 | 1 | <1 | 1 |
| Women | | | | | | | | |
| Greatly at risk | 1 | 1 | 1 | 1 | <1 | 1 | 1 | 1 |
| Quite a lot | 3 | 2 | 2 | 2 | 1 | <1 | 2 | 2 |
| Not very much | 26 | 20 | 15 | 11 | 8 | 3 | 20 | 14 |
| Not at all at risk | 70 | 77 | 82 | 85 | 91 | 95 | 76 | 83 |
| Don't know | 1 | 1 | 1 | <1 | <1 | 1 | 1 | <1 |
| <i>Unweighted bases</i> | | | | | | | | |
| <i>Men</i> | 1729 | 1522 | 801 | 789 | 769 | 664 | 4052 | 6274 |
| <i>Women</i> | 2138 | 2483 | 1213 | 1117 | 1030 | 874 | 5834 | 8855 |
| <i>Weighted bases</i> | | | | | | | | |
| <i>Men</i> | 1238 | 1372 | 1416 | 1407 | 1193 | 857 | 4026 | 7483 |
| <i>Women</i> | 1206 | 1378 | 1452 | 1437 | 1235 | 935 | 4036 | 7642 |

Table 95

Positive test for chlamydia, by age and sex

*Aged 16-44, with at least one
sexual partner in the last year
and with a valid urine test
result*

2010-2012

| Positive test for chlamydia | Age at interview | | | Total aged 16-44 % |
|-----------------------------|------------------|------------|------------|--------------------------|
| | 16-24 % | 25-34 % | 35-44 % | |
| Men | 2.3 | 1.0 | 0.3 | 1.1 |
| Women | 3.1 | 1.5 | 0.3 | 1.5 |

| | | | | |
|-------------------------|-----|------|-----|------|
| <i>Unweighted bases</i> | | | | |
| <i>Men</i> | 840 | 693 | 352 | 1885 |
| <i>Women</i> | 992 | 1146 | 527 | 2665 |
| <i>Weighted bases</i> | | | | |
| <i>Men</i> | 624 | 807 | 835 | 2266 |
| <i>Women</i> | 597 | 809 | 878 | 2284 |

Table 96**Positive test for gonorrhoea, by age and sex**

Aged 16-44, with at least one sexual partner in the last year and with a valid urine test result

2010-2012

| Positive test for gonorrhoea | Age at interview | | | |
|------------------------------|------------------|-------|-------|------------------|
| | 16-24 | 25-34 | 35-44 | Total aged 16-44 |
| | % | % | % | % |
| Men | <0.1 | 0.1 | - | <0.1 |
| Women | 0.1 | - | - | <0.1 |
| <i>Unweighted bases</i> | | | | |
| Men | 840 | 693 | 352 | 1885 |
| Women | 992 | 1146 | 527 | 2665 |
| <i>Weighted bases</i> | | | | |
| Men | 624 | 807 | 835 | 2266 |
| Women | 597 | 809 | 878 | 2284 |

Table 97

Positive test for HPV, by age and sex

Aged 16-44, with at least one sexual partner in the last year and with a valid urine test result

2010-2012

| Positive test for HPV | Age at interview | | | Total aged 16-44 |
|--------------------------------|------------------|-------|-------|------------------|
| | 16-24 | 25-34 | 35-44 | |
| | % | % | % | % |
| Men | | | | |
| Any HPV | 15.9 | 18.1 | 15.0 | 16.3 |
| HPV-16 | 1.5 | 2.1 | 1.9 | 1.9 |
| HPV-18 | 0.6 | 0.5 | 0.3 | 0.5 |
| Any high risk HPV ^a | 7.0 | 9.2 | 8.8 | 8.4 |
| Women | | | | |
| Any HPV | 44.8 | 29.7 | 22.2 | 30.8 |
| HPV-16 | 4.7 | 4.2 | 2.0 | 3.5 |
| HPV-18 | 1.4 | 0.5 | 0.6 | 0.8 |
| Any high risk HPV ^a | 25.8 | 15.6 | 9.3 | 15.9 |
| <i>Unweighted bases</i> | | | | |
| <i>Men</i> | 801 | 661 | 337 | 1799 |
| <i>Women</i> | 957 | 1108 | 504 | 2569 |
| <i>Weighted bases</i> | | | | |
| <i>Men</i> | 593 | 766 | 805 | 2165 |
| <i>Women</i> | 573 | 779 | 837 | 2189 |

^a High risk types of HPV are 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, and 68.

Table 98

Positive test for HIV, by age and sex

*Aged 16-44, with at least one
sexual partner in the last year
and with a valid urine test
result*

2010-2012

| Positive test for HIV | Age at interview | | | Total aged 16-44 |
|------------------------------|-------------------------|-------|-------|-----------------------------|
| | 16-24 | 25-34 | 35-44 | |
| | % | % | % | % |
| Men | 0.1 | 0.4 | 0.2 | 0.2 |
| Women | - | 0.1 | 0.1 | 0.1 |

Unweighted bases

| | | | | |
|--------------|-----|------|-----|------|
| <i>Men</i> | 840 | 693 | 352 | 1885 |
| <i>Women</i> | 992 | 1146 | 527 | 2665 |

Weighted bases

| | | | | |
|--------------|-----|-----|-----|------|
| <i>Men</i> | 624 | 807 | 835 | 2266 |
| <i>Women</i> | 597 | 809 | 878 | 2284 |
